

UT Date 2012-10-19 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:56	20:21:50.1	+31:27:43	300	89	3.0	0 Calibration	4	
0011-0030.FLAT	7	02:03	20:21:50.1	+31:27:43	300	89	3.0	0 Calibration	2	
0031-0040.BIAS	0	02:06	20:21:50.1	+31:27:43	300	89	3.0	0 Calibration	2	
0041.BDp284211	120	03:01	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0042.COMP	10	03:04	21:51:11.0	+28:51:50	300	87	3.0	0 Calibration	2	
0043.BDp174708	40	03:06	22:11:31.4	+18:05:34	300	87	3.0	#56 Spectropho	2	
0044.COMP	10	03:07	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0045.20132279+5151502	1500	03:09	20:13:22.8	+51:51:50	300	89	3.0	#141 2Mass Red	2	clouds came thru, try again...
0046.COMP	10	03:35	20:13:22.8	+51:51:50	300	89	3.0	0 Calibration	2	
0047.20132279+5151502	1500	03:36	20:13:22.8	+51:51:50	300	89	3.0	#141 2Mass Red	2	
0048.COMP	10	04:02	20:13:22.8	+51:51:50	300	89	3.0	0 Calibration	2	
0049.03194206+1117169	1200	08:46	03:19:42.1	+11:17:17	300	89	3.0	#141 2Mass Red	2	
0050.COMP	10	09:07	03:19:42.1	+11:17:17	300	87	3.0	0 Calibration	2	
0051.03440869+4013206	1020	10:23	03:44:08.7	+40:13:21	300	89	3.0	#141 2Mass Red	2	
0052.COMP	10	10:41	03:44:08.7	+40:13:21	300	86	3.0	0 Calibration	2	
0053-0057.DARK	900	13:30	03:44:08.7	+40:13:21	300	86	3.0	0 Calibration	4	
0058-0062.DARK	900	14:46	03:44:08.7	+40:13:21	300	86	3.0	0 Calibration	2	