


UT Date 2013-02-09 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	01:42	16:50:43.4	+42:51:45	300	91	3.0	0 Calibration	4	
0006-0015.BIAS	0	01:59	16:50:43.4	+42:51:45	300	91	3.0	0 Calibration	4	
0016-0035.FLAT	7	02:13	16:50:43.4	+42:51:45	300	91	3.0	0 Calibration	2	
0036-0045.BIAS	0	02:19	16:50:43.4	+42:51:45	300	91	3.0	0 Calibration	2	
0046.EGAnd	2	02:30	00:44:37.0	+40:40:47	300	91	3.0	#12 Symbiotic	2	
0047.EGAnd	10	02:31	00:44:37.0	+40:40:47	300	91	3.0	#12 Symbiotic	2	
0048.EGAnd	40	02:32	00:44:37.0	+40:40:47	300	91	3.0	#12 Symbiotic	2	
0049.COMP	10	02:34	00:44:37.0	+40:40:47	300	91	3.0	0 Calibration	2	
0050.AXPer	8	02:37	01:36:23.0	+54:15:03	300	91	3.0	#12 Symbiotic	2	
0051.AXPer	60	02:38	01:36:23.0	+54:15:03	300	91	3.0	#12 Symbiotic	2	
0052.AXPer	180	02:40	01:36:23.0	+54:15:03	300	91	3.0	#12 Symbiotic	2	
0053.COMP	10	02:43	01:36:23.0	+54:15:03	300	91	3.0	0 Calibration	2	
0054.GITau	600	02:49	04:33:34.0	+24:21:18	300	91	3.0	#12 Symbiotic	2	
0055.COMP	10	03:00	04:33:34.0	+24:21:18	300	91	3.0	0 Calibration	2	
0056.GKTau	600	03:01	04:33:34.5	+24:21:07	300	91	3.0	#12 Symbiotic	2	
0057.COMP	10	03:11	04:33:34.5	+24:21:07	300	91	3.0	0 Calibration	2	
0058.sn2013S	1800	03:14	03:35:30.3	+38:17:00	300	91	3.0	#2 SN Observat	2	
0059.COMP	10	03:44	03:35:30.3	+38:17:00	300	91	3.0	0 Calibration	2	
0060.G191B2B	420	03:46	05:05:30.6	+52:49:52	300	91	3.0	#56 Spectropho	2	
0061.COMP	10	03:53	05:05:30.6	+52:49:52	300	91	3.0	0 Calibration	2	

UT Date 2013-02-09 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0062.Hiltner600	180	03:58	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0063.COMP	10	04:02	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0064.LkCa3	480	04:04	04:14:47.9	+27:52:34	300	90	3.0	#215 Grid of W	2	
0065.COMP	10	04:12	04:14:47.9	+27:52:34	300	90	3.0	0 Calibration	2	
0066.LkCa4	900	04:14	04:16:28.1	+28:07:35	300	90	3.0	#215 Grid of W	2	
0067.COMP	10	04:29	04:16:28.1	+28:07:35	300	91	3.0	0 Calibration	2	
0068.V826Tau	900	04:31	04:32:15.8	+18:01:38	300	91	3.0	#215 Grid of W	2	
0069.COMP	10	04:46	04:32:15.8	+18:01:38	300	90	3.0	0 Calibration	2	
0070.V827Tau	780	04:48	04:32:14.6	+18:20:14	300	90	3.0	#215 Grid of W	2	
0071.COMP	10	05:01	04:32:14.6	+18:20:14	300	91	3.0	0 Calibration	2	
0072.cvso-50825186	600	05:03	05:30:24.1	-01:50:11	300	91	3.0	#112 PMS Orion	2	
0073.COMP	10	05:14	05:30:24.1	-01:50:11	300	90	3.0	0 Calibration	2	
0074.cvso-50822791	660	05:15	05:30:26.4	-04:24:10	300	90	3.0	#112 PMS Orion	2	
0075.COMP	10	05:27	05:30:26.4	-04:24:10	300	89	3.0	0 Calibration	2	
0076.cvso-50826451	600	05:28	05:30:26.7	-01:00:47	300	89	3.0	#112 PMS Orion	2	
0077.COMP	10	05:39	05:30:26.7	-01:00:47	300	90	3.0	0 Calibration	2	
0078.cvso-50824681	480	05:41	05:30:28.8	+02:17:34	300	90	3.0	#112 PMS Orion	2	
0079.COMP	10	05:49	05:30:28.8	+02:17:34	300	90	3.0	0 Calibration	2	
0080.cvso-50828106	480	05:50	05:30:30.0	-02:12:39	300	90	3.0	#112 PMS Orion	2	
0081.COMP	10	05:59	05:30:30.0	-02:12:39	300	90	3.0	0 Calibration	2	

UT Date 2013-02-09 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0082.cvso-50828549	300	06:00	05:30:30.9	-02:11:27	300	90	3.0	#112 PMS Orion	2	
0083.COMP	10	06:05	05:30:30.9	-02:11:27	300	90	3.0	0 Calibration	2	
0084.cvso-50830450	720	06:06	05:30:34.7	-00:52:53	300	90	3.0	#112 PMS Orion	2	
0085.COMP	10	06:20	05:30:34.7	-00:52:53	300	91	3.0	0 Calibration	2	
0086.G191B2B	360	06:23	05:05:30.6	+52:49:52	300	91	3.0	#56 Spectropho	2	
0087.COMP	10	06:29	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0088.Hiltner600	120	06:32	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0089.COMP	10	06:34	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0090.SS129	360	06:37	07:32:45.0	-26:49:16	300	71	3.0	#12 Symbiotic	2	
0091.SS129	360	06:43	07:32:45.0	-26:49:16	300	71	3.0	#12 Symbiotic	2	
0092.COMP	10	06:49	07:32:45.0	-26:49:16	300	70	3.0	0 Calibration	2	
0093.BXMon	15	06:52	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0094.BXMon	180	06:52	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0095.COMP	10	06:56	07:25:23.0	-03:35:51	300	89	3.0	0 Calibration	2	
0096.BGGem	480	07:01	06:03:31.0	+27:41:50	300	89	3.0	#12 Symbiotic	2	
0097.COMP	10	07:09	06:03:31.0	+27:41:50	300	90	3.0	0 Calibration	2	
0098.G191B2B	360	07:11	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0099.COMP	10	07:18	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0100.Hiltner600	150	07:20	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0101.COMP	10	07:23	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	

UT Date 2013-02-09 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0102.sn2013U	1800	07:30	10:01:12.0	+00:19:42	300	70	3.0	#2 SN Observat	2	
0103.COMP	10	08:01	10:01:12.0	+00:19:42	300	70	3.0	0 Calibration	2	
0104.V419Hya	30	08:03	10:43:28.3	-29:03:51	300	89	3.0	#215 Grid of W	2	
0105.COMP	10	08:04	10:43:28.3	-29:03:51	300	89	3.0	0 Calibration	2	
0106.V419Hya	15	08:05	10:43:28.3	-29:03:51	300	89	3.0	#215 Grid of W	2	
0107.COMP	10	08:06	10:43:28.3	-29:03:51	300	89	3.0	0 Calibration	2	
0108-0117.BIAS	0	12:53	09:08:41.5	+44:48:50	300	90	3.0	0 Calibration	2	
0118-0137.FLAT	7	12:59	09:08:41.5	+44:48:50	300	90	3.0	0 Calibration	2	
0138-0147.DARK	900	15:21	09:08:41.5	+44:48:50	300	90	3.0	0 Calibration	2	