

UT Date 2013-10-06 Observers IrwinColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	00:09	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0006-0015.BIAS	0	00:53	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	4	
0016-0025.FLAT	4	00:55	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	4	
0026-0035.BIAS	0	00:57	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0036-0050.FLAT	7	01:02	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0051.HD192281	20	02:06	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	wind from NE, seeing horrific
0052.COMP	10	02:07	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0053.BDp404032	240	02:08	20:08:24.1	+41:15:04	300	91	3.0	#56 Spectropho	2	
0054.COMP	10	02:12	20:08:24.1	+41:15:04	300	91	3.0	0 Calibration	2	
0055.A01611.1	1800	02:16	15:31:06.2	+33:14:44	300	90	3.0	#216 Local Com	2	
0056.COMP	10	02:46	15:31:06.2	+33:14:44	300	90	3.0	0 Calibration	2	
0057.20330565+5403016	1200	02:50	20:33:05.7	+54:03:02	300	94	3.0	#141 2MASS Red	2	seeing much improved
0058.COMP	10	03:11	20:33:05.7	+54:03:02	300	94	3.0	0 Calibration	2	
0059.YYHer	10	03:13	18:14:34.0	+20:59:19	300	89	3.0	#12 Symbiotic	2	
0060.YYHer	60	03:13	18:14:34.0	+20:59:19	300	89	3.0	#12 Symbiotic	2	
0061.COMP	10	03:15	18:14:34.0	+20:59:19	300	89	3.0	0 Calibration	2	
0062.V443Her	5	03:16	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0063.V443Her	45	03:16	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0064.V443Her	90	03:17	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0065.COMP	10	03:19	18:22:07.0	+23:27:20	300	89	3.0	0 Calibration	2	

UT Date 2013-10-06 Observers IrwinColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.AS338	90	03:21	19:03:47.0	+16:26:17	300	89	3.0	#12 Symbiotic	2	
0067.AS338	600	03:22	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0068.COMP	10	03:33	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	
0069.AS360	60	03:35	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	
0070.AS360	300	03:36	19:45:49.0	+18:36:49	300	89	3.0	#12 Symbiotic	2	
0071.COMP	10	03:41	19:45:49.0	+18:36:49	300	89	3.0	0 Calibration	2	
0072.BFCyg	15	03:43	19:23:53.0	+29:40:27	300	89	3.0	#12 Symbiotic	2	
0073.BFCyg	15	03:43	19:23:53.0	+29:40:27	300	89	3.0	#12 Symbiotic	2	
0074.COMP	10	03:44	19:23:53.0	+29:40:27	300	89	3.0	0 Calibration	2	
0075.CHCyg	1	03:45	19:24:33.0	+50:14:30	300	89	3.0	#12 Symbiotic	2	
0076.CHCyg	5	03:45	19:24:33.0	+50:14:30	300	89	3.0	#12 Symbiotic	2	
0077.CHCyg	30	03:46	19:24:33.0	+50:14:30	300	89	3.0	#12 Symbiotic	2	
0078.COMP	10	03:46	19:24:33.0	+50:14:30	300	89	3.0	0 Calibration	2	
0079.CICyg	4	03:48	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0080.CICyg	15	03:48	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0081.COMP	10	03:49	19:50:12.0	+35:41:02	300	89	3.0	0 Calibration	2	
0082.PUVul	1	03:50	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0083.PUVul	10	03:50	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0084.PUVul	60	03:51	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0085.COMP	10	03:52	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	

UT Date 2013-10-06 Observers IrwinColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0086.sn2013fn	2400	03:56	21:00:23.8	-14:29:52	300	16	3.0	#2 SN Observat	2	
0087.COMP	10	04:37	21:00:23.8	-14:29:52	300	16	3.0	0 Calibration	2	
0088.BDp284211	150	04:40	21:51:11.0	+28:51:50	300	91	3.0	#56 Spectropho	2	
0089.COMP	10	04:43	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0090.BDp174708	90	04:44	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	
0091.COMP	10	04:46	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0092.HPbcg081	1200	04:48	22:50:24.2	+10:50:03	300	80	3.0	#210 Brightest	2	
0093.COMP	10	05:09	22:50:24.2	+10:50:03	300	80	3.0	0 Calibration	2	
0094.HPbcg126	2400	05:12	22:35:10.0	+05:20:37	300	21	3.0	#210 Brightest	2	
0095.COMP	10	05:53	22:35:10.0	+05:20:37	300	21	3.0	0 Calibration	2	
0096.HPbcg100	900	05:54	23:45:18.5	-03:58:59	300	21	3.0	#210 Brightest	2	redone, see 0112
0097.COMP	10	06:09	23:45:18.5	-03:58:59	300	20	3.0	0 Calibration	2	
0098.RAqr	1	06:13	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0099.RAqr	5	06:14	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0100.RAqr	10	06:14	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0101.COMP	10	06:14	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0102.ZAnd	1	06:17	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0103.ZAnd	5	06:17	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0104.ZAnd	30	06:18	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0105.COMP	10	06:18	23:33:40.0	+48:49:06	300	90	3.0	0 Calibration	2	

UT Date 2013-10-06 Observers IrwinColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0106.EGAnd	1	06:20	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0107.EGAnd	5	06:20	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0108.EGAnd	10	06:20	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0109.COMP	10	06:21	00:44:37.0	+40:40:47	300	90	3.0	0 Calibration	2	
0110.M31	60	06:22	00:42:44.3	+41:16:09	300	90	3.0	#57 Velocity S	2	
0111.COMP	10	06:23	00:42:44.3	+41:16:09	300	90	3.0	0 Calibration	2	
0112.HPbcg100	1800	06:26	23:45:18.5	-03:58:59	300	90	3.0	#210 Brightest	2	
0113.COMP	10	06:56	23:45:18.5	-03:58:59	300	90	3.0	0 Calibration	2	
0114.HPbcg130	1200	06:58	23:44:19.0	-04:23:03	300	89	3.0	#210 Brightest	2	
0115.COMP	10	07:18	23:44:19.0	-04:23:03	300	89	3.0	0 Calibration	2	
0116.HPbcg089	1800	07:21	23:51:45.6	+06:22:17	300	80	3.0	#210 Brightest	2	
0117.COMP	10	07:52	23:51:45.6	+06:22:17	300	80	3.0	0 Calibration	2	
0118.HPbcg090	2400	07:54	23:49:57.4	+06:11:37	300	80	3.0	#210 Brightest	2	
0119.COMP	10	08:34	23:49:57.4	+06:11:37	300	81	3.0	0 Calibration	2	
0120.AXPer	4	08:38	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	seeing pretty bad
0121.AXPer	30	08:38	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0122.AXPer	90	08:39	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0123.COMP	10	08:41	01:36:23.0	+54:15:03	300	89	3.0	0 Calibration	2	
0124.HPbcg092	1800	08:43	23:51:36.8	+29:27:11	300	89	3.0	#210 Brightest	2	
0125.COMP	10	09:14	23:51:36.8	+29:27:11	300	89	3.0	0 Calibration	2	

UT Date 2013-10-06 Observers IrwinColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0126.HPbcg132	1800	09:17	23:52:34.5	+29:26:25	300	90	3.0	#210 Brightest	2	
0127.COMP	10	09:47	23:52:34.5	+29:26:25	300	90	3.0	0 Calibration	2	
0128.GITau	240	10:35	04:33:34.0	+24:21:18	300	89	3.0	#12 Symbiotic	2	
0129.COMP	10	10:39	04:33:34.0	+24:21:18	300	89	3.0	0 Calibration	2	
0130.GKTau	240	10:40	04:33:34.5	+24:21:07	300	89	3.0	#12 Symbiotic	2	
0131.COMP	10	10:44	04:33:34.5	+24:21:07	300	89	3.0	0 Calibration	2	
0132.snj0503	2400	10:48	05:03:35.1	+01:34:17	300	39	3.0	#2 SN Observat	2	
0133.COMP	10	11:29	05:03:35.1	+01:34:17	300	39	3.0	0 Calibration	2	
0134.BGGem	300	11:31	06:03:31.0	+27:41:50	300	1	3.0	#12 Symbiotic	2	
0135.COMP	10	11:37	06:03:31.0	+27:41:50	300	1	3.0	0 Calibration	2	
0136.HPbcg116	900	11:41	07:33:20.3	+31:21:41	300	87	3.0	#210 Brightest	2	
0137.COMP	10	11:56	07:33:20.3	+31:21:41	300	87	3.0	0 Calibration	2	
0138.BXMon	15	12:00	07:25:23.0	-03:35:51	300	109	3.0	#12 Symbiotic	2	
0139.BXMon	180	12:01	07:25:23.0	-03:35:51	300	109	3.0	#12 Symbiotic	2	
0140.BXMon	180	12:04	07:25:23.0	-03:35:51	300	109	3.0	#12 Symbiotic	2	
0141.COMP	10	12:07	07:25:23.0	-03:35:51	300	109	3.0	0 Calibration	2	
0142.Hiltner600	240	12:09	06:45:13.4	+02:08:15	300	109	3.0	#56 Spectropho	2	
0143.COMP	10	12:13	06:45:13.4	+02:08:15	300	109	3.0	0 Calibration	2	
0144.G191B2B	500	12:16	05:05:30.6	+52:49:52	300	110	3.0	#56 Spectropho	2	
0145.COMP	10	12:24	05:05:30.6	+52:49:52	300	110	3.0	0 Calibration	2	

UT Date 2013-10-06 Observers IrwinColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0146-0155.BIAS	0	12:29	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	4	
0156-0165.FLAT	4	12:31	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	4	
0166-0175.BIAS	0	12:33	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0176-0190.FLAT	7	12:38	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0191-0195.DARK	900	13:46	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0196-0200.DARK	900	15:02	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	4	