

UT Date 2013-12-09 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:59	02:20:00.0	+32:00:00	300	88	3.0	0 Calibration	4	
0011-0020.BIAS	0	01:02	00:33:54.6	-12:07:59	300	88	3.0	0 Calibration	2	
0021-0035.FLAT	7	01:08	00:33:54.6	-12:07:59	300	88	3.0	0 Calibration	2	
0036.BDp174708	90	01:37	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0037.BDp174708	90	01:39	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0038.COMP	10	01:41	22:11:31.4	+18:05:34	300	88	3.0	0 Calibration	2	
0039.BDp284211	150	01:42	21:51:11.0	+28:51:50	300	88	3.0	#56 Spectropho	2	
0040.COMP	10	01:45	21:51:11.0	+28:51:50	300	88	3.0	0 Calibration	2	
0041.K4644922	150	01:47	19:15:12.1	+39:42:50	300	88	3.0	#192 DASCH Lon	2	
0042.K4644922	150	01:50	19:15:12.1	+39:42:50	300	88	3.0	#192 DASCH Lon	2	
0043.COMP	10	01:53	19:15:12.1	+39:42:50	300	88	3.0	0 Calibration	2	
0044.AS338	183	01:54	19:03:47.0	+16:26:17	300	88	3.0	#12 Symbiotic	2	fog
0045.COMP	10	02:01	19:23:53.0	+29:40:27	300	88	3.0	0 Calibration	2	