

UT Date 2014-02-25 Observers WBrownColl. Focus 1330 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.fastfoc	10	23:25	17:50:13.0	-06:42:30	600	89	1.5	#12 Symbiotic	4	x6 foc=1330 for 6001
0002.fastfoc	10	23:25	17:50:13.0	-06:42:30	600	89	1.5	#12 Symbiotic	4	
0003.fastfoc	10	23:25	17:50:13.0	-06:42:30	600	89	1.5	#12 Symbiotic	4	
0004.fastfoc	10	23:26	17:50:13.0	-06:42:30	600	89	1.5	#12 Symbiotic	4	
0005.fastfoc	10	23:26	17:50:13.0	-06:42:30	600	89	1.5	#12 Symbiotic	4	
0006.fastfoc	10	23:27	17:50:13.0	-06:42:30	600	89	1.5	#12 Symbiotic	4	
0007.BIAS	0	23:33	17:50:13.0	-06:42:30	600	89	1.5	0 Calibration	4	x13
0008-0019.BIAS	0	23:34	17:50:13.0	-06:42:30	600	89	1.5	0 Calibration	4	
0020.FLAT	12	23:35	17:50:13.0	-06:42:30	600	89	1.5	0 Calibration	4	x10
0021-0029.FLAT	12	23:39	17:50:13.0	-06:42:30	600	89	1.5	0 Calibration	4	
0030.DARK	900	00:03	17:50:13.0	-06:42:30	600	89	1.5	0 Calibration	4	x5
0031-0034.DARK	900	01:05	17:50:13.0	-06:42:30	600	89	1.5	0 Calibration	4	
0035.G191B2B	300	02:15	05:05:30.6	+52:49:52	600	81	1.5	#56 Spectropho	4	variable clouds; non-photometric
0036.COMP	10	02:20	05:05:30.6	+52:49:52	600	81	1.5	0 Calibration	4	
0037.lamost007	420	02:23	02:53:02.5	+55:28:15	600	81	1.5	#178 Low Mass	4	
0038.COMP	10	02:30	02:53:02.5	+55:28:15	600	89	1.5	0 Calibration	4	
0039.lamost007	600	02:31	02:53:02.5	+55:28:15	600	89	1.5	#178 Low Mass	4	
0040.COMP	10	02:41	02:53:02.5	+55:28:15	600	90	1.5	0 Calibration	4	
0041.lamost007	600	02:42	02:53:02.5	+55:28:15	600	89	1.5	#178 Low Mass	4	increasing clouds
0042.COMP	10	02:53	02:53:02.5	+55:28:15	600	89	1.5	0 Calibration	4	

UT Date 2014-02-25 Observers WBrownColl. Focus 1330 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0043.lamost007	720	02:56	02:53:02.5	+55:28:15	600	89	1.5	#178 Low Mass	4	
0044.COMP	10	03:09	02:53:02.5	+55:28:15	600	89	1.5	0 Calibration	4	
0045.lamost007	900	03:32	02:53:02.5	+55:28:15	600	89	1.5	#178 Low Mass	4	
0046.COMP	10	03:47	02:53:02.5	+55:28:15	600	89	1.5	0 Calibration	4	
0047.lamost041	780	03:50	03:14:10.3	+51:55:50	600	90	1.5	#178 Low Mass	4	
0048.COMP	10	04:03	03:14:10.3	+51:55:50	600	90	1.5	0 Calibration	4	
0049.lamost041	780	04:04	03:14:10.3	+51:55:50	600	89	1.5	#178 Low Mass	4	
0050.COMP	10	04:17	03:14:10.3	+51:55:50	600	89	1.5	0 Calibration	4	
0051.lamost041	780	04:18	03:14:10.3	+51:55:50	600	89	1.5	#178 Low Mass	4	
0052.COMP	10	04:31	03:14:10.3	+51:55:50	600	89	1.5	0 Calibration	4	
0053.lamost041	900	04:32	03:14:10.3	+51:55:50	600	90	1.5	#178 Low Mass	4	
0054.COMP	10	04:48	03:14:10.3	+51:55:50	600	90	1.5	0 Calibration	4	
0055.lamost020	600	04:49	03:49:05.1	+52:36:11	600	90	1.5	#178 Low Mass	4	
0056.COMP	10	05:00	03:49:05.1	+52:36:11	600	90	1.5	0 Calibration	4	
0057.lamost020	720	05:00	03:49:05.1	+52:36:11	600	89	1.5	#178 Low Mass	4	
0058.COMP	10	05:13	03:49:05.1	+52:36:11	600	89	1.5	0 Calibration	4	
0059.lamost020	840	05:13	03:49:05.1	+52:36:11	600	89	1.5	#178 Low Mass	4	network down; file 59 written but 0060.COMP failed, use 0058.CO
0060.BIAS	0	06:24	07:26:59.5	+33:17:09	600	89	1.5	0 Calibration	4	testing...network fixed
0061.lmwd526	1080	06:25	07:26:59.5	+33:17:09	600	89	1.5	#178 Low Mass	4	
0062.COMP	10	06:44	07:26:59.5	+33:17:09	600	89	1.5	0 Calibration	4	

UT Date 2014-02-25 Observers WBrownColl. Focus 1330 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0063.lmwd526	1080	06:44	07:26:59.5	+33:17:09	600	89	1.5	#178 Low Mass	4	
0064.COMP	10	07:03	07:26:59.5	+33:17:09	600	89	1.5	0 Calibration	4	
0065.lmwd526	1080	07:03	07:26:59.5	+33:17:09	600	89	1.5	#178 Low Mass	4	
0066.COMP	10	07:22	07:26:59.5	+33:17:09	600	89	1.5	0 Calibration	4	
0067.lmwd037	1080	07:24	07:56:10.7	+67:04:25	600	89	1.5	#178 Low Mass	4	clouds back
0068.COMP	10	07:42	07:56:10.7	+67:04:25	600	89	1.5	0 Calibration	4	
0069.lmwd037	1200	07:43	07:56:10.7	+67:04:25	600	90	1.5	#178 Low Mass	4	
0070.COMP	10	08:03	07:56:10.7	+67:04:25	600	89	1.5	0 Calibration	4	
0071.lmwd037	1200	08:04	07:56:10.7	+67:04:25	600	89	1.5	#178 Low Mass	4	heavy cloud cover
0072.COMP	10	08:25	07:56:10.7	+67:04:25	600	89	1.5	0 Calibration	4	
0073-0079.DARK	900	10:48	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	
0080.BIAS	0	11:08	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	x10
0081-0089.BIAS	0	11:09	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	
0090.FLAT	12	11:10	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	x10
0091-0099.FLAT	12	11:13	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	