

UT Date 2014-02-26 Observers WBrownColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.fastfoc	10	23:24	10:06:42.4	+69:41:50	600	90	1.5	#178 Low Mass	4	x6 foc=1350 for 600line
0002.fastfoc	10	23:25	10:06:42.4	+69:41:50	600	90	1.5	#178 Low Mass	4	
0003.fastfoc	10	23:25	10:06:42.4	+69:41:50	600	90	1.5	#178 Low Mass	4	
0004.fastfoc	10	23:25	10:06:42.4	+69:41:50	600	90	1.5	#178 Low Mass	4	
0005.fastfoc	10	23:26	10:06:42.4	+69:41:50	600	90	1.5	#178 Low Mass	4	
0006.fastfoc	10	23:26	10:06:42.4	+69:41:50	600	90	1.5	#178 Low Mass	4	
0007.BIAS	0	23:30	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	x13
0008-0019.BIAS	0	23:31	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	
0020.FLAT	12	23:32	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	x10
0021-0029.FLAT	12	23:37	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	
0030.DARK	900	23:39	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	x5
0031-0034.DARK	900	00:41	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	
0035.Feige34	300	07:34	10:39:36.7	+43:06:09	600	90	1.5	#178 Low Mass	4	clouds clearing; seeing poor 2
0036.COMP	10	07:40	10:39:36.7	+43:06:09	600	90	1.5	0 Calibration	4	
0037.bcand853	1080	07:42	10:06:42.4	+69:41:50	600	89	1.5	#178 Low Mass	4	
0038.COMP	10	08:00	10:06:42.4	+69:41:50	600	89	1.5	0 Calibration	4	
0039.bcand853	1080	08:01	10:06:42.4	+69:41:50	600	89	1.5	#178 Low Mass	4	
0040.COMP	10	08:19	10:06:42.4	+69:41:50	600	89	1.5	0 Calibration	4	
0041.bcand853	1080	08:19	10:06:42.4	+69:41:50	600	89	1.5	#178 Low Mass	4	
0042.COMP	10	08:38	10:06:42.4	+69:41:50	600	89	1.5	0 Calibration	4	

UT Date 2014-02-26 Observers WBrownColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0043.bcand510	1500	08:42	10:24:48.9	+08:56:20	600	89	1.5	#178 Low Mass	4	
0044.COMP	10	09:07	10:24:48.9	+08:56:20	600	89	1.5	0 Calibration	4	
0045.bcand510	1500	09:07	10:24:48.9	+08:56:20	600	90	1.5	#178 Low Mass	4	
0046.COMP	10	09:33	10:24:48.9	+08:56:20	600	90	1.5	0 Calibration	4	
0047.COMP	5	09:36	12:40:00.0	+30:00:00	300	90	3.0	0 Calibration	4	GRATING CHANGE
0048.sn3013ge	1800	09:39	10:34:48.5	+21:39:42	300	89	3.0	#2 SN Observat	2	
0049.COMP	10	10:09	10:34:48.5	+21:39:42	300	89	3.0	0 Calibration	2	
0050.SA102m370	240	10:11	10:56:33.8	-01:10:41	300	89	3.0	#173 Small Sol	2	
0051.COMP	10	10:16	10:56:33.8	-01:10:41	300	89	3.0	0 Calibration	2	
0052.Asteroid.Erigone.163	180	10:17	10:23:45.0	+09:16:35	300	89	3.0	#173 Small Sol	2	
0053.Asteroid.Erigone.163	180	10:20	10:23:45.0	+09:16:35	300	89	3.0	#173 Small Sol	2	
0054.Asteroid.Erigone.163	180	10:23	10:23:45.0	+09:16:35	300	89	3.0	#173 Small Sol	2	
0055.COMP	10	10:27	10:23:45.0	+09:16:35	300	89	3.0	0 Calibration	2	
0056.sn2014J	600	10:29	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0057.COMP	10	10:40	09:55:42.1	+69:40:26	300	89	3.0	0 Calibration	2	
0058.Asteroid.495.Eulalia	600	10:44	13:05:30.0	-07:05:53	300	89	3.0	#173 Small Sol	2	
0059.COMP	10	10:54	13:05:30.0	-07:05:53	300	89	3.0	0 Calibration	2	
0060.Asteroid.495.Eulalia	600	10:55	13:05:30.0	-07:05:53	300	89	3.0	#173 Small Sol	2	
0061.COMP	10	11:05	13:05:30.0	-07:05:53	300	89	3.0	0 Calibration	2	
0062.Asteroid.495.Eulalia	600	11:06	13:05:30.0	-07:05:53	300	89	3.0	#173 Small Sol	2	

UT Date 2014-02-26 Observers WBrownColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0063.COMP	10	11:16	13:05:30.0	-07:05:53	300	89	3.0	0 Calibration	2	
0064.HD117860	60	11:17	13:33:11.3	-08:26:36	300	89	3.0	#173 Small Sol	2	saturated, will do again
0065.COMP	10	11:19	13:33:11.3	-08:26:36	300	89	3.0	0 Calibration	2	
0066.HD117860	15	11:19	13:33:11.3	-08:26:36	300	89	3.0	#173 Small Sol	2	
0067.sn2014L	1800	11:21	12:18:48.7	+14:24:44	300	89	3.0	#2 SN Observat	2	
0068.COMP	10	11:52	12:18:48.7	+14:24:44	300	89	3.0	0 Calibration	2	
0069.A00365.2	1020	11:55	14:45:32.0	-02:44:36	300	76	3.0	#216 Local Com	2	
0070.COMP	10	12:12	14:45:32.0	-02:44:36	300	75	3.0	0 Calibration	2	
0071.DracoC1	1200	12:15	17:19:58.0	+57:50:06	300	88	3.0	#12 Symbiotic	2	
0072.COMP	10	12:35	17:19:58.0	+57:50:06	300	88	3.0	0 Calibration	2	
0073.AS296	30	12:38	18:15:07.0	-00:18:52	300	88	3.0	#12 Symbiotic	2	
0074.AS296	120	12:39	18:15:07.0	-00:18:52	300	88	3.0	#12 Symbiotic	2	
0075.COMP	10	12:41	18:15:07.0	-00:18:52	300	88	3.0	0 Calibration	2	
0076.AS338	540	12:44	19:03:47.0	+16:26:17	300	89	3.0	#12 Symbiotic	2	
0077.AS338	90	12:53	19:03:47.0	+16:26:17	300	89	3.0	#12 Symbiotic	2	
0078.COMP	10	12:55	19:03:47.0	+16:26:17	300	89	3.0	0 Calibration	2	
0079.V443Her	90	12:56	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0080.V443Her	45	12:58	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0081.V443Her	5	12:59	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0082.COMP	10	12:59	18:22:07.0	+23:27:20	300	89	3.0	0 Calibration	2	

UT Date 2014-02-26 Observers WBrownColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0083.YYHer	60	13:00	18:14:34.0	+20:59:19	300	89	3.0	#12 Symbiotic	2	
0084.YYHer	10	13:01	18:14:34.0	+20:59:19	300	89	3.0	#12 Symbiotic	2	
0085.COMP	10	13:02	18:14:34.0	+20:59:19	300	89	3.0	0 Calibration	2	
0086.BDp262606	60	13:03	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0087.COMP	10	13:05	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0088.BDp332642	120	13:06	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0089.COMP	10	13:08	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0090-0104.FLAT	7	13:13	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0105-0114.BIAS	0	13:15	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0115-0124.DARK	900	15:39	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	