

UT Date 2014-05-31 Observers IrwinColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0004.COMP	10	22:58	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	300 line, tiltpos 632, Zexas 3950-7950
0005-0009.DARK	900	00:16	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0010-0029.BIAS	0	00:36	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0030-0049.FLAT	7	00:44	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0050.Feige66	120	03:32	12:37:23.5	+25:04:00	300	89	3.0	#56 Spectropho	2	
0051.COMP	10	03:35	12:37:23.5	+25:04:00	300	89	3.0	0 Calibration	2	
0052.N4853	600	03:36	12:58:35.2	+27:35:47	300	88	3.0	#57 Velocity S	2	oops wrong fuzzy sorry
0053.COMP	10	03:47	12:58:35.2	+27:35:47	300	88	3.0	0 Calibration	2	
0054.N4853	600	03:48	12:58:35.2	+27:35:47	300	88	3.0	#57 Velocity S	2	
0055.COMP	10	03:58	12:58:35.2	+27:35:47	300	88	3.0	0 Calibration	2	
0056.IRAS11267+1558	120	04:04	11:29:24.7	+15:41:41	300	74	3.0	#199 Optical n	2	test. just black pitchness in this guider field, this object i
0057.IRAS11267+1558	1800	04:06	11:29:24.7	+15:41:41	300	74	3.0	#199 Optical n	2	
0058.COMP	10	04:36	11:29:24.7	+15:41:41	300	74	3.0	0 Calibration	2	
0059.IRAS12468+3436	120	04:42	12:49:17.2	+34:19:43	300	36	3.0	#199 Optical n	2	test
0060.IRAS12468+3436	1800	04:44	12:49:17.2	+34:19:43	300	35	3.0	#199 Optical n	2	
0061.COMP	10	05:14	12:49:17.2	+34:19:43	300	35	3.0	0 Calibration	2	
0062.BDp262606	90	05:16	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0063.COMP	10	05:18	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0064.COMP	5	05:20	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	test
0065.COMP	5	05:22	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	test

UT Date 2014-05-31 Observers IrwinColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.COMP	5	05:23	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	test
0067.FLAT	7	05:24	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	standard setup
0068-0086.FLAT	7	05:30	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0087.MCL1222+1850	900	05:33	12:22:54.8	+18:50:12	300	110	3.0	#218 M dwarfs	2	
0088.COMP	10	05:48	12:22:54.8	+18:50:12	300	110	3.0	0 Calibration	2	
0089.BDp262606	90	05:50	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0090.COMP	10	05:52	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0091.BDp332642	150	05:54	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0092.COMP	10	05:57	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0093.snj1325	1800	06:00	13:25:38.8	+25:57:34	300	90	3.0	#2 SN Observat	2	
0094.COMP	10	06:30	13:25:38.8	+25:57:34	300	90	3.0	0 Calibration	2	
0095.N5846	600	06:32	15:06:29.3	+01:36:20	300	90	3.0	#57 Velocity S	2	
0096.COMP	10	06:42	15:06:29.3	+01:36:20	300	90	3.0	0 Calibration	2	
0097.sniPTF14bdn	1800	06:47	13:30:44.9	+32:45:42	300	105	3.0	#2 SN Observat	2	
0098.COMP	10	07:17	13:30:44.9	+32:45:42	300	105	3.0	0 Calibration	2	
0099.SDSSJ1522p3913	1200	07:20	15:22:38.8	+39:13:52	300	91	3.0	#192 DASCH Lon	2	
0100.COMP	10	07:40	15:22:38.8	+39:13:52	300	91	3.0	0 Calibration	2	
0101.SDSSJ1522p3913	1200	07:41	15:22:38.8	+39:13:52	300	91	3.0	#192 DASCH Lon	2	
0102.COMP	10	08:01	15:22:38.8	+39:13:52	300	91	3.0	0 Calibration	2	
0103.AWIO0001sw	733	08:06	16:20:03.3	+06:11:05	300	91	3.0	#219 Disk Dete	2	booming in I band so guider a little misleading

UT Date 2014-05-31 Observers IrwinColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0104.COMP	10	08:18	16:20:03.3	+06:11:05	300	90	3.0	0 Calibration	2	
0105.AWI00001sw	1800	08:19	16:20:03.3	+06:11:05	300	90	3.0	#219 Disk Dete	2	
0106.COMP	10	08:50	16:20:03.3	+06:11:05	300	90	3.0	0 Calibration	2	
0107.AWI000047d	400	08:52	16:48:37.4	+35:12:09	300	90	3.0	#219 Disk Dete	2	
0108.COMP	10	08:59	16:48:37.4	+35:12:09	300	90	3.0	0 Calibration	2	
0109.AWI000047d	400	09:00	16:48:37.4	+35:12:09	300	90	3.0	#219 Disk Dete	2	
0110.SNJ1652	1800	09:09	16:52:57.6	+02:23:37	300	91	3.0	#2 SN Observat	2	
0111.COMP	10	09:39	16:52:57.6	+02:23:37	300	91	3.0	0 Calibration	2	
0112.snASASSN4ax	1800	09:42	17:10:00.7	+27:06:20	300	91	3.0	#2 SN Observat	2	
0113.COMP	10	10:12	17:10:00.7	+27:06:20	300	91	3.0	0 Calibration	2	
0114.AWI000015r	1200	10:16	17:08:39.7	+29:50:33	300	70	3.0	#219 Disk Dete	2	
0115.COMP	10	10:36	17:08:39.7	+29:50:33	300	70	3.0	0 Calibration	2	
0116.AWI000015r	600	10:37	17:08:39.7	+29:50:33	300	71	3.0	#219 Disk Dete	2	
0117.AS338	600	10:50	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0118.AS338	90	11:00	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0119.COMP	10	11:02	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	
0120.BDp284211	150	11:04	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0121.COMP	10	11:07	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0122.HD192281	10	11:08	20:12:33.1	+40:16:05	300	89	3.0	#56 Spectropho	2	
0123.COMP	10	11:09	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	

UT Date 2014-05-31 Observers IrwinColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0124.HD192281	10	11:10	20:12:33.1	+40:16:05	300	89	3.0	#56 Spectropho	2	
0125.HD192281	10	11:10	20:12:33.1	+40:16:05	300	89	3.0	#56 Spectropho	2	
0126-0135.BIAS	0	11:17	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	4	
0136-0145.FLAT	4	11:19	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	4	
0146-0155.BIAS	0	11:21	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0156-0170.FLAT	7	11:25	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0171-0175.DARK	900	12:36	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0176-0180.DARK	900	13:52	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	4	