

UT Date 2014-06-25 Observers WBrownColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.fastfoc	10	22:32	00:44:37.0	+40:40:47	600	89	1.5	#12 Symbiotic	4	foc=1350 at 66 F
0002.fastfoc	10	22:32	00:44:37.0	+40:40:47	600	89	1.5	#12 Symbiotic	4	
0003.fastfoc	10	22:32	00:44:37.0	+40:40:47	600	89	1.5	#12 Symbiotic	4	
0004.fastfoc	10	22:33	00:44:37.0	+40:40:47	600	89	1.5	#12 Symbiotic	4	
0005.fastfoc	10	22:33	00:44:37.0	+40:40:47	600	89	1.5	#12 Symbiotic	4	
0006.fastfoc	10	22:34	00:44:37.0	+40:40:47	600	89	1.5	#12 Symbiotic	4	
0007.fastfoc	10	22:34	00:44:37.0	+40:40:47	600	89	1.5	#12 Symbiotic	4	
0008.fastfoc	10	22:34	00:44:37.0	+40:40:47	600	89	1.5	#12 Symbiotic	4	
0009.fastfoc	10	22:35	00:44:37.0	+40:40:47	600	89	1.5	#12 Symbiotic	4	
0010.BIAS	0	22:37	00:44:37.0	+40:40:47	600	89	1.5	0 Calibration	4	x10
0011-0019.BIAS	0	22:38	00:44:37.0	+40:40:47	600	89	1.5	0 Calibration	4	
0020.FLAT	12	22:39	00:44:37.0	+40:40:47	600	89	1.5	0 Calibration	4	x15
0021-0034.FLAT	12	22:44	00:44:37.0	+40:40:47	600	89	1.5	0 Calibration	4	
0035.DARK	900	23:06	00:44:37.0	+40:40:47	600	89	1.5	0 Calibration	4	x12
0036-0046.DARK	900	01:54	00:44:37.0	+40:40:47	600	89	1.5	0 Calibration	4	
0047.BDp332642	240	03:31	15:51:59.9	+32:56:54	600	89	1.5	#56 Spectropho	4	
0048.COMP	10	03:35	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	4	
0049.hotwd116	600	03:37	13:36:33.7	+06:46:27	600	89	1.5	#178 Low Mass	4	
0050.COMP	10	03:48	13:36:33.7	+06:46:27	600	89	1.5	0 Calibration	4	
0051.hotwd116	600	03:48	13:36:33.7	+06:46:27	600	89	1.5	#178 Low Mass	4	

UT Date 2014-06-25 Observers WBrownColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0052.COMP	10	03:58	13:36:33.7	+06:46:27	600	89	1.5	0 Calibration	4	
0053.hotwd116	600	03:59	13:36:33.7	+06:46:27	600	89	1.5	#178 Low Mass	4	
0054.COMP	10	04:09	13:36:33.7	+06:46:27	600	89	1.5	0 Calibration	4	
0055.bcand865	960	04:12	12:55:26.3	+47:57:19	600	89	1.5	#178 Low Mass	4	
0056.COMP	10	04:28	12:55:26.3	+47:57:19	600	89	1.5	0 Calibration	4	
0057.bcand865	960	04:29	12:55:26.3	+47:57:19	600	89	1.5	#178 Low Mass	4	
0058.COMP	10	04:45	12:55:26.3	+47:57:19	600	89	1.5	0 Calibration	4	
0059.bcand865	960	04:46	12:55:26.3	+47:57:19	600	89	1.5	#178 Low Mass	4	
0060.COMP	10	05:02	12:55:26.3	+47:57:19	600	89	1.5	0 Calibration	4	
0061.bcand865	960	05:03	12:55:26.3	+47:57:19	600	89	1.5	#178 Low Mass	4	
0062.COMP	10	05:19	12:55:26.3	+47:57:19	600	89	1.5	0 Calibration	4	
0063.bcand865	960	05:19	12:55:26.3	+47:57:19	600	89	1.5	#178 Low Mass	4	
0064.COMP	10	05:36	12:55:26.3	+47:57:19	600	89	1.5	0 Calibration	4	
0065.dr1434	840	05:38	14:34:58.5	+08:54:26	600	89	1.5	#178 Low Mass	4	
0066.COMP	10	05:52	14:34:58.5	+08:54:26	600	89	1.5	0 Calibration	4	
0067.dr1434	840	05:53	14:34:58.5	+08:54:26	600	89	1.5	#178 Low Mass	4	
0068.COMP	10	06:07	14:34:58.5	+08:54:26	600	89	1.5	0 Calibration	4	
0069.dr1434	840	06:08	14:34:58.5	+08:54:26	600	89	1.5	#178 Low Mass	4	
0070.COMP	10	06:22	14:34:58.5	+08:54:26	600	89	1.5	0 Calibration	4	
0071.dr1434	840	06:23	14:34:58.5	+08:54:26	600	89	1.5	#178 Low Mass	4	

UT Date 2014-06-25 Observers WBrownColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0072.COMP	10	06:37	14:34:58.5	+08:54:26	600	89	1.5	0 Calibration	4	
0073.dr1434	840	06:38	14:34:58.5	+08:54:26	600	89	1.5	#178 Low Mass	4	
0074.COMP	10	06:52	14:34:58.5	+08:54:26	600	89	1.5	0 Calibration	4	
0075.hotwd148	1200	06:54	16:26:18.3	+11:24:34	600	89	1.5	#178 Low Mass	4	
0076.COMP	10	07:14	16:26:18.3	+11:24:34	600	89	1.5	0 Calibration	4	
0077.hotwd148	1200	07:15	16:26:18.3	+11:24:34	600	89	1.5	#178 Low Mass	4	
0078.COMP	10	07:35	16:26:18.3	+11:24:34	600	89	1.5	0 Calibration	4	
0079.hotwd148	1200	07:36	16:26:18.3	+11:24:34	600	89	1.5	#178 Low Mass	4	
0080.COMP	10	07:56	16:26:18.3	+11:24:34	600	89	1.5	0 Calibration	4	
0081.hotwd148	1200	07:57	16:26:18.3	+11:24:34	600	89	1.5	#178 Low Mass	4	
0082.COMP	10	08:17	16:26:18.3	+11:24:34	600	89	1.5	0 Calibration	4	
0083.hotwd148	1200	08:17	16:26:18.3	+11:24:34	600	89	1.5	#178 Low Mass	4	
0084.COMP	10	08:38	16:26:18.3	+11:24:34	600	89	1.5	0 Calibration	4	
0085.lmwd462	1320	08:40	20:32:16.7	+03:56:31	600	89	1.5	#178 Low Mass	4	
0086.COMP	10	09:03	20:32:16.7	+03:56:31	600	89	1.5	0 Calibration	4	
0087.lmwd462	1320	09:03	20:32:16.7	+03:56:31	600	89	1.5	#178 Low Mass	4	
0088.COMP	10	09:25	20:32:16.7	+03:56:31	600	89	1.5	0 Calibration	4	
0089.lmwd462	1320	09:26	20:32:16.7	+03:56:31	600	89	1.5	#178 Low Mass	4	
0090.COMP	10	09:48	20:32:16.7	+03:56:31	600	89	1.5	0 Calibration	4	
0091.lmwd079	600	09:51	19:13:11.6	+37:26:32	600	89	1.5	#178 Low Mass	4	

UT Date 2014-06-25 Observers WBrownColl. Focus 1350 Grating/Grism 600

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0092.COMP	10	10:01	19:13:11.6	+37:26:32	600	89	1.5	0 Calibration	4	
0093.lmwd079	900	10:02	19:13:11.6	+37:26:32	600	89	1.5	#178 Low Mass	4	
0094.COMP	10	10:18	19:13:11.6	+37:26:32	600	89	1.5	0 Calibration	4	
0095.lmwd079	1020	10:18	19:13:11.6	+37:26:32	600	89	1.5	#178 Low Mass	4	
0096.COMP	10	10:36	19:13:11.6	+37:26:32	600	89	1.5	0 Calibration	4	
0097.lmwd079	1020	10:36	19:13:11.6	+37:26:32	600	89	1.5	#178 Low Mass	4	
0098.COMP	10	10:54	19:13:11.6	+37:26:32	600	89	1.5	0 Calibration	4	
0099.lmwd079	1020	10:54	19:13:11.6	+37:26:32	600	89	1.5	#178 Low Mass	4	
0100.COMP	10	11:12	19:13:11.6	+37:26:32	600	89	1.5	0 Calibration	4	
0101.BDp284211	180	11:13	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	4	
0102.COMP	10	11:16	21:51:11.0	+28:51:50	600	89	1.5	0 Calibration	4	
0103-0112.DARK	900	13:52	21:51:11.0	+28:51:50	600	89	1.5	0 Calibration	4	
0113-0118.DARK	900	15:24	21:51:11.0	+28:51:50	600	89	1.5	0 Calibration	2	