

UT Date 2015-05-12 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0003.BIAS	0	20:45	04:34:55.5	+31:28:54	300	91	3.0	0 Calibration	2	
0004-0005.BIAS	0	20:47	07:00:58.2	+27:09:27	300	91	3.0	0 Calibration	2	
0006-0010.DARK	900	21:48	07:00:58.2	+27:09:27	300	91	3.0	0 Calibration	2	
0011-0015.DARK	900	23:05	07:00:58.2	+27:09:27	300	91	3.0	0 Calibration	4	
0016.COMP	10	01:38	07:00:58.2	+27:09:27	300	91	3.0	0 Calibration	2	
0017-0030.BIAS	0	01:51	07:00:58.2	+27:09:27	300	91	3.0	0 Calibration	2	
0031-0040.BIAS	0	01:55	08:00:17.5	+05:50:30	300	91	3.0	0 Calibration	4	
0041-0055.FLAT	12	02:10	08:00:17.5	+05:50:30	600	91	1.5	0 Calibration	4	
0056.Feige34	180	03:01	10:39:36.7	+43:06:09	600	91	1.5	#56 Spectropho	4	
0057.COMP	10	03:05	10:39:36.7	+43:06:09	600	91	1.5	0 Calibration	4	
0058.galex04	120	03:07	10:29:11.8	+57:58:06	600	91	1.5	#178 Low Mass	4	
0059.COMP	10	03:09	10:29:11.8	+57:58:06	600	91	1.5	0 Calibration	4	
0060.galex03	240	03:10	10:28:41.9	+57:08:40	600	91	1.5	#178 Low Mass	4	
0061.COMP	10	03:15	10:28:41.9	+57:08:40	600	91	1.5	0 Calibration	4	
0062.galex03	240	03:15	10:28:41.9	+57:08:40	600	91	1.5	#178 Low Mass	4	
0063.COMP	10	03:20	10:28:41.9	+57:08:40	600	91	1.5	0 Calibration	4	
0064.galex03	240	03:20	10:28:41.9	+57:08:40	600	91	1.5	#178 Low Mass	4	
0065.COMP	10	03:25	10:28:41.9	+57:08:40	600	90	1.5	0 Calibration	4	
0066.j0800p05	660	03:27	08:00:17.5	+05:50:30	600	90	1.5	#178 Low Mass	4	
0067.COMP	10	03:38	08:00:17.5	+05:50:30	600	90	1.5	0 Calibration	4	

UT Date 2015-05-12 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0068.j0800p05	660	03:39	08:00:17.5	+05:50:30	600	90	1.5	#178 Low Mass	4	
0069.COMP	10	03:50	08:00:17.5	+05:50:30	600	90	1.5	0 Calibration	4	
0070.j0800p05	660	03:51	08:00:17.5	+05:50:30	600	90	1.5	#178 Low Mass	4	
0071.COMP	10	04:02	08:00:17.5	+05:50:30	600	90	1.5	0 Calibration	4	
0072.j0800p05	660	04:03	08:00:17.5	+05:50:30	600	90	1.5	#178 Low Mass	4	
0073.COMP	10	04:14	08:00:17.5	+05:50:30	600	90	1.5	0 Calibration	4	
0074.galex06	720	04:17	12:37:38.1	-04:08:42	600	91	1.5	#178 Low Mass	4	
0075.COMP	10	04:29	12:37:38.1	-04:08:42	600	91	1.5	0 Calibration	4	
0076.galex06	720	04:30	12:37:38.1	-04:08:42	600	91	1.5	#178 Low Mass	4	
0077.COMP	10	04:42	12:37:38.1	-04:08:42	600	91	1.5	0 Calibration	4	
0078.galex06	720	04:43	12:37:38.1	-04:08:42	600	91	1.5	#178 Low Mass	4	
0079.COMP	10	04:56	12:37:38.1	-04:08:42	600	91	1.5	0 Calibration	4	
0080.galex06	720	04:56	12:37:38.1	-04:08:42	600	91	1.5	#178 Low Mass	4	
0081.COMP	10	05:09	12:37:38.1	-04:08:42	600	90	1.5	0 Calibration	4	
0082.test	10	05:13	13:35:00.0	+32:00:00	300	90	3.0	#178 Low Mass	2	
0083.test	10	05:14	13:35:00.0	+32:00:00	300	90	3.0	#178 Low Mass	2	
0084.Feige34	180	05:16	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0085.COMP	10	05:19	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0086.snASASSN15ik	1200	05:22	11:02:04.7	+03:30:03	300	90	3.0	#220 ASASSN Tr	2	
0087.snASASSN15ik	1200	05:42	11:02:04.7	+03:30:03	300	90	3.0	#220 ASASSN Tr	2	

UT Date 2015-05-12 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0088.snASASSN15ik	1200	06:02	11:02:04.7	+03:30:03	300	90	3.0	#220 ASASSN Tr	2	
0089.COMP	10	06:23	11:02:04.7	+03:30:03	300	90	3.0	0 Calibration	2	
0090.BDp262606	90	06:26	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0091.COMP	10	06:28	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0092.HD118598	20	06:30	13:38:13.7	-23:41:20	300	90	3.0	#223 NEOWISE N	2	
0093.HD118598	40	06:31	13:38:13.7	-23:41:20	300	90	3.0	#223 NEOWISE N	2	
0094.COMP	10	06:32	13:38:13.7	-23:41:20	300	90	3.0	0 Calibration	2	
0095.J9800H.1998KH	1200	06:34	14:50:26.7	-29:13:43	300	90	3.0	#223 NEOWISE N	2	
0096.J9800H.1998KH	1200	06:55	14:50:26.7	-29:13:43	300	90	3.0	#223 NEOWISE N	2	
0097.J9800H.1998KH	1200	07:15	14:50:26.7	-29:13:43	300	90	3.0	#223 NEOWISE N	2	
0098.COMP	10	07:36	14:50:26.7	-29:13:43	300	90	3.0	0 Calibration	2	
0099.HD134664	20	07:37	15:12:10.4	-30:53:10	300	90	3.0	#223 NEOWISE N	2	
0100.COMP	10	07:38	15:12:10.4	-30:53:10	300	90	3.0	0 Calibration	2	
0101.HIP56948	60	07:42	11:40:28.4	+69:00:31	300	90	3.0	#223 NEOWISE N	2	
0102.COMP	10	07:43	11:40:28.4	+69:00:31	300	90	3.0	0 Calibration	2	
0103.BDp332642	150	07:49	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0104.COMP	10	07:52	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0105.Betulia.1580	900	07:56	14:13:20.3	+70:46:35	300	90	3.0	#223 NEOWISE N	2	
0106.Betulia.1580	900	08:11	14:13:20.3	+70:46:35	300	90	3.0	#223 NEOWISE N	2	
0107.Betulia.1580	900	08:26	14:13:20.3	+70:46:35	300	90	3.0	#223 NEOWISE N	2	

UT Date 2015-05-12 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0108.COMP	10	08:42	14:13:20.3	+70:46:35	300	90	3.0	0 Calibration	2	
0109.snASASSN15i1	900	08:45	15:57:08.1	-12:40:24	300	90	3.0	#220 ASASSN Tr	2	
0110.COMP	5	09:12	15:57:08.1	-12:40:24	300	89	3.0	0 Calibration	2	
0111.snASASSN15i1	900	09:29	15:57:08.1	-12:40:24	300	88	3.0	#220 ASASSN Tr	2	
0112.snASASSN15i1	900	09:44	15:57:08.1	-12:40:24	300	88	3.0	#220 ASASSN Tr	2	
0113.COMP	10	10:00	15:57:08.1	-12:40:24	300	89	3.0	0 Calibration	2	
0114.snps15ahs	1800	10:03	17:59:29.8	+43:23:24	300	89	3.0	#2 SN Observat	2	
0115.COMP	10	10:33	17:59:29.8	+43:23:24	300	88	3.0	0 Calibration	2	
0116.snASASSN15hy	1800	10:36	20:10:02.4	-00:44:21	300	88	3.0	#2 SN Observat	2	
0117.COMP	10	11:06	20:10:02.4	-00:44:21	300	86	3.0	0 Calibration	2	
0118.V1057Cyg	60	11:09	20:58:54.0	+44:15:30	300	86	3.0	#12 Symbiotic	2	
0119.V1057Cyg	240	11:10	20:58:54.0	+44:15:30	300	86	3.0	#12 Symbiotic	2	
0120.COMP	10	11:15	20:58:54.0	+44:15:30	300	86	3.0	0 Calibration	2	
0121.V1329Cyg	480	11:16	20:51:01.0	+35:34:55	300	86	3.0	#12 Symbiotic	2	
0122.V1329Cyg	60	11:25	20:51:01.0	+35:34:55	300	86	3.0	#12 Symbiotic	2	
0123.COMP	10	11:26	20:51:01.0	+35:34:55	300	87	3.0	0 Calibration	2	
0124.PUVu1	20	11:28	20:21:13.0	+21:34:21	300	87	3.0	#12 Symbiotic	2	
0125.PUVu1	10	11:29	20:21:13.0	+21:34:21	300	87	3.0	#12 Symbiotic	2	
0126.PUVu1	120	11:30	20:21:13.0	+21:34:21	300	87	3.0	#12 Symbiotic	2	
0127.COMP	10	11:32	20:21:13.0	+21:34:21	300	88	3.0	0 Calibration	2	

UT Date 2015-05-12 Observers P BerlindColl. Focus 1380 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0128.CICyg	10	11:34	19:50:12.0	+35:41:02	300	88	3.0	#12 Symbiotic	2	
0129.CICyg	30	11:34	19:50:12.0	+35:41:02	300	88	3.0	#12 Symbiotic	2	
0130.CICyg	60	11:36	19:50:12.0	+35:41:02	300	88	3.0	#12 Symbiotic	2	
0131.COMP	10	11:37	19:50:12.0	+35:41:02	300	88	3.0	0 Calibration	2	
0132-0141.BIAS	0	11:49	19:50:12.0	+35:41:02	300	88	3.0	0 Calibration	2	
0142-0156.FLAT	7	11:55	19:50:12.0	+35:41:02	300	88	3.0	0 Calibration	2	
0157-0161.DARK	900	12:57	19:50:12.0	+35:41:02	300	88	3.0	0 Calibration	2	
0162-0166.DARK	900	14:14	19:50:12.0	+35:41:02	300	88	3.0	0 Calibration	4	