

UT Date 2015-05-18 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0003.BIAS	0	21:23	11:20:06.4	+34:07:43	300	87	3.0	0 Calibration	2	
0004-0008.DARK	900	22:25	07:00:58.2	+27:09:27	300	87	3.0	0 Calibration	2	
0009-0013.DARK	900	23:41	07:00:58.2	+27:09:27	300	87	3.0	0 Calibration	4	
0014-0025.BIAS	0	01:50	07:00:58.2	+27:09:27	300	87	3.0	0 Calibration	2	
0026-0035.BIAS	0	01:52	07:00:58.2	+27:09:27	300	87	3.0	0 Calibration	4	
0036.FLAT	12	02:00	10:28:41.9	+57:08:40	600	87	1.5	0 Calibration	4	600-line, 1.5-sec, 445 blue
0037-0050.FLAT	12	02:05	10:28:41.9	+57:08:40	600	87	1.5	0 Calibration	4	
0051.galex04	120	02:58	10:29:11.8	+57:58:06	600	87	1.5	#178 Low Mass	4	
0052.COMP	10	03:01	10:29:11.8	+57:58:06	600	87	1.5	0 Calibration	4	
0053.Feige34	180	03:03	10:39:36.7	+43:06:09	600	87	1.5	#56 Spectropho	4	
0054.COMP	10	03:07	10:39:36.7	+43:06:09	600	87	1.5	0 Calibration	4	
0055.j0800p05	660	03:09	08:00:17.5	+05:50:30	600	87	1.5	#178 Low Mass	4	
0056.COMP	10	03:20	08:00:17.5	+05:50:30	600	87	1.5	0 Calibration	4	
0057.j0800p05	660	03:21	08:00:17.5	+05:50:30	600	87	1.5	#178 Low Mass	4	
0058.COMP	10	03:32	08:00:17.5	+05:50:30	600	87	1.5	0 Calibration	4	
0059.j0800p05	660	03:33	08:00:17.5	+05:50:30	600	87	1.5	#178 Low Mass	4	
0060.COMP	10	03:44	08:00:17.5	+05:50:30	600	87	1.5	0 Calibration	4	
0061.j0800p05	660	03:45	08:00:17.5	+05:50:30	600	87	1.5	#178 Low Mass	4	
0062.COMP	10	03:56	08:00:17.5	+05:50:30	600	90	1.5	0 Calibration	4	
0063.test	10	04:00	12:37:23.5	+25:04:00	300	90	3.0	#56 Spectropho	2	

UT Date 2015-05-18 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.test	10	04:02	12:37:23.5	+25:04:00	300	90	3.0	#56 Spectropho	2	
0065.test	10	04:03	12:37:23.5	+25:04:00	300	90	3.0	#56 Spectropho	2	
0066.Feige34	180	04:04	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	300-line, 3-sec
0067.COMP	10	04:08	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0068.snngc27702015	1800	04:10	09:09:35.0	+33:07:20	300	90	3.0	#2 SN Observat	2	
0069.COMP	10	04:40	09:09:35.0	+33:07:20	300	90	3.0	0 Calibration	2	
0070.snASASSN-15fz	1200	04:44	13:35:25.1	+01:24:33	300	90	3.0	#220 ASASSN Tr	2	
0071.snASASSN-15fz	1200	05:04	13:35:25.1	+01:24:33	300	90	3.0	#220 ASASSN Tr	2	
0072.snASASSN-15fz	1200	05:24	13:35:25.1	+01:24:33	300	90	3.0	#220 ASASSN Tr	2	
0073.COMP	10	05:45	13:35:25.1	+01:24:33	300	90	3.0	0 Calibration	2	
0074.snASASSN-15hx	300	05:47	13:43:16.7	-31:33:22	300	90	3.0	#220 ASASSN Tr	2	
0075.snASASSN-15hx	300	05:52	13:43:16.7	-31:33:22	300	90	3.0	#220 ASASSN Tr	2	
0076.snASASSN-15hx	300	05:57	13:43:16.7	-31:33:22	300	90	3.0	#220 ASASSN Tr	2	
0077.COMP	10	06:03	13:43:16.7	-31:33:22	300	90	3.0	0 Calibration	2	
0078.RWHya	10	06:04	13:34:18.0	-25:22:51	300	90	3.0	#12 Symbiotic	2	
0079.RWHya	4	06:05	13:34:18.0	-25:22:51	300	90	3.0	#12 Symbiotic	2	
0080.RWHya	30	06:05	13:34:18.0	-25:22:51	300	90	3.0	#12 Symbiotic	2	
0081.COMP	10	06:06	13:34:18.0	-25:22:51	300	90	3.0	0 Calibration	2	
0082.BDp262606	90	06:09	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0083.BDp262606	90	06:12	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	

UT Date 2015-05-18 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0084.BDp262606	90	06:15	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0085.COMP	10	06:16	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0086-0095.FLAT	7	06:20	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0096.test	10	06:23	15:10:00.0	+32:00:00	300	90	3.0	#56 Spectropho	2	
0097.test	10	06:24	15:10:00.0	+32:00:00	300	90	3.0	#56 Spectropho	2	
0098.test	10	06:25	15:10:00.0	+32:00:00	300	90	3.0	#56 Spectropho	2	
0099.FLAT	8	06:28	15:10:00.0	+32:00:00	300	90	3.0	0 Calibration	2	300-line, 3-sec, gg495, red 770
0100-0108.FLAT	8	06:31	15:10:00.0	+32:00:00	300	90	3.0	0 Calibration	2	
0109.BS4486	5	06:33	11:38:44.8	+45:06:31	300	90	3.0	#223 NEOWISE N	2	
0110.BS4486	10	06:34	11:38:44.8	+45:06:31	300	90	3.0	#223 NEOWISE N	2	
0111.COMP	10	06:34	11:38:44.8	+45:06:31	300	90	3.0	0 Calibration	2	
0112.HIP56948	20	06:36	11:40:28.4	+69:00:31	300	90	3.0	#223 NEOWISE N	2	
0113.HIP56948	80	06:37	11:40:28.4	+69:00:31	300	90	3.0	#223 NEOWISE N	2	
0114.COMP	10	06:39	11:40:28.4	+69:00:31	300	90	3.0	0 Calibration	2	
0115.Betulia.1580	900	06:40	13:24:42.1	+63:04:17	300	90	3.0	#223 NEOWISE N	2	
0116.Betulia.1580	900	06:55	13:24:42.1	+63:04:17	300	90	3.0	#223 NEOWISE N	2	
0117.Betulia.1580	900	07:10	13:24:42.1	+63:04:17	300	90	3.0	#223 NEOWISE N	2	
0118.COMP	10	07:26	13:24:42.1	+63:04:17	300	90	3.0	0 Calibration	2	
0119.HD115382	30	07:28	13:16:48.3	+12:24:56	300	90	3.0	#223 NEOWISE N	2	
0120.COMP	10	07:29	13:16:48.3	+12:24:56	300	90	3.0	0 Calibration	2	

UT Date 2015-05-18 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0121.BDp262606	120	07:30	14:49:02.4	+25:42:09	300	90	3.0	#223 NEOWISE N	2	
0122.BDp262606	120	07:33	14:49:02.4	+25:42:09	300	90	3.0	#223 NEOWISE N	2	
0123.COMP	10	07:35	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0124.test	10	07:37	16:30:00.0	+32:00:00	300	90	3.0	#223 NEOWISE N	2	
0125.test	10	07:39	16:30:00.0	+32:00:00	300	90	3.0	#223 NEOWISE N	2	
0126.test	10	07:40	16:30:00.0	+32:00:00	300	90	3.0	#223 NEOWISE N	2	
0127.snPSN130032	1800	07:42	13:00:32.3	+27:58:41	300	90	3.0	#2 SN Observat	2	300-line, 3-sec
0128.COMP	10	08:13	13:00:32.3	+27:58:41	300	90	3.0	0 Calibration	2	
0129.snPSN162838	1800	08:16	16:28:38.4	+39:32:55	300	90	3.0	#2 SN Observat	2	
0130.COMP	10	08:46	16:28:38.4	+39:32:55	300	90	3.0	0 Calibration	2	
0131.snASASSN-15fi	601	08:49	16:31:48.8	+20:24:38	300	90	3.0	#220 ASASSN Tr	2	
0132.COMP	10	09:00	16:31:48.8	+20:24:38	300	90	3.0	0 Calibration	2	
0133.snps15ahs	1800	09:02	17:59:29.8	+43:23:24	300	90	3.0	#2 SN Observat	2	
0134.COMP	10	09:33	17:59:29.8	+43:23:24	300	83	3.0	0 Calibration	2	
0135.AGDra	30	09:34	16:01:41.0	+66:48:10	300	83	3.0	#12 Symbiotic	2	
0136.AGDra	10	09:35	16:01:41.0	+66:48:10	300	83	3.0	#12 Symbiotic	2	
0137.AGDra	60	09:36	16:01:41.0	+66:48:10	300	83	3.0	#12 Symbiotic	2	
0138.COMP	10	09:37	16:01:41.0	+66:48:10	300	83	3.0	0 Calibration	2	
0139.RSOph	30	09:40	17:50:13.0	-06:42:30	300	83	3.0	#12 Symbiotic	2	
0140.RSOph	60	09:41	17:50:13.0	-06:42:30	300	83	3.0	#12 Symbiotic	2	

UT Date 2015-05-18 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0141.RS0ph	300	09:42	17:50:13.0	-06:42:30	300	83	3.0	#12 Symbiotic	2	
0142.COMP	10	09:47	17:50:13.0	-06:42:30	300	83	3.0	0 Calibration	2	
0143.AS210	30	09:49	16:51:20.3	-26:00:33	300	83	3.0	#12 Symbiotic	2	
0144.AS210	15	09:50	16:51:20.3	-26:00:33	300	83	3.0	#12 Symbiotic	2	
0145.AS210	360	09:50	16:51:20.3	-26:00:33	300	83	3.0	#12 Symbiotic	2	
0146.COMP	10	09:57	16:51:20.3	-26:00:33	300	90	3.0	0 Calibration	2	
0147.Hen1341	30	09:58	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	
0148.Hen1341	300	09:59	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	
0149.COMP	10	10:05	17:08:36.0	-17:26:30	300	90	3.0	0 Calibration	2	
0150.AS270	60	10:06	18:05:33.7	-20:20:38	300	90	3.0	#12 Symbiotic	2	
0151.AS270	600	10:07	18:05:33.7	-20:20:38	300	90	3.0	#12 Symbiotic	2	
0152.COMP	10	10:18	18:05:33.7	-20:20:38	300	90	3.0	0 Calibration	2	
0153.snASASSN-15hy	800	10:20	20:10:02.4	-00:44:21	300	90	3.0	#220 ASASSN Tr	2	
0154.snASASSN-15hy	800	10:34	20:10:02.4	-00:44:21	300	90	3.0	#220 ASASSN Tr	2	
0155.snASASSN-15hy	800	10:47	20:10:02.4	-00:44:21	300	90	3.0	#220 ASASSN Tr	2	
0156.COMP	10	11:01	20:10:02.4	-00:44:21	300	89	3.0	0 Calibration	2	
0157.AS338	60	11:04	19:03:47.0	+16:26:17	300	89	3.0	#12 Symbiotic	2	
0158.AS338	300	11:05	19:03:47.0	+16:26:17	300	89	3.0	#12 Symbiotic	2	
0159.COMP	10	11:11	19:03:47.0	+16:26:17	300	85	3.0	0 Calibration	2	
0160.HMSge	60	11:13	19:41:57.0	+16:44:41	300	82	3.0	#12 Symbiotic	2	

UT Date 2015-05-18 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0161.HMSge	10	11:14	19:41:57.0	+16:44:41	300	82	3.0	#12 Symbiotic	2	
0162.HMSge	300	11:14	19:41:57.0	+16:44:41	300	82	3.0	#12 Symbiotic	2	
0163.HMSge	5	11:20	19:41:57.0	+16:44:41	300	82	3.0	#12 Symbiotic	2	
0164.COMP	10	11:20	19:41:57.0	+16:44:41	300	87	3.0	0 Calibration	2	
0165.BFCyg	5	11:21	19:23:53.0	+29:40:27	300	87	3.0	#12 Symbiotic	2	
0166.BFCyg	20	11:22	19:23:53.0	+29:40:27	300	87	3.0	#12 Symbiotic	2	
0167.BFCyg	60	11:23	19:23:53.0	+29:40:27	300	87	3.0	#12 Symbiotic	2	
0168.COMP	10	11:24	19:23:53.0	+29:40:27	300	87	3.0	0 Calibration	2	
0169.CHCyg	5	11:26	19:24:33.0	+50:14:30	300	87	3.0	#12 Symbiotic	2	
0170.CHCyg	1	11:26	19:24:33.0	+50:14:30	300	87	3.0	#12 Symbiotic	2	
0171.CHCyg	8	11:26	19:24:33.0	+50:14:30	300	87	3.0	#12 Symbiotic	2	
0172.COMP	10	11:27	19:24:33.0	+50:14:30	300	87	3.0	0 Calibration	2	
0173.V1016Cyg	60	11:29	19:57:05.0	+39:49:37	300	87	3.0	#12 Symbiotic	2	
0174.V1016Cyg	145	11:30	19:57:05.0	+39:49:37	300	87	3.0	#12 Symbiotic	2	
0175.V1016Cyg	10	11:33	19:57:05.0	+39:49:37	300	87	3.0	#12 Symbiotic	2	
0176.COMP	10	11:34	19:57:05.0	+39:49:37	300	83	3.0	0 Calibration	2	
0177-0186.BIAS	0	11:44	19:57:05.0	+39:49:37	300	83	3.0	0 Calibration	2	
0187-0201.FLAT	7	11:50	19:57:05.0	+39:49:37	300	83	3.0	0 Calibration	2	
0202-0212.DARK	1200	15:15	19:57:05.0	+39:49:37	300	83	3.0	0 Calibration	2	