

UT Date 2015-06-21 Observers FalcoColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0002.DARK	900	03:01	13:16:31.4	+31:35:15	300	90	3.0	0 Calibration	4	
0003-0012.BIAS	0	03:29	13:16:31.4	+31:35:15	300	90	3.0	0 Calibration	4	
0013-0032.FLAT	8	03:36	13:16:31.4	+31:35:15	300	90	3.0	0 Calibration	2	
0033-0042.BIAS	0	03:40	13:16:31.4	+31:35:15	300	90	3.0	0 Calibration	2	
0043.BDp262606	90	03:45	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0044.COMP	10	03:47	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0045.BDp332642	150	03:51	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0046.COMP	10	03:54	15:51:59.9	+32:56:54	300	88	3.0	0 Calibration	2	
0047.snCSS141223_2	2400	03:58	11:33:41.6	+00:43:32	300	88	3.0	#2 SN Observat	2	
0048.COMP	10	04:38	11:33:41.6	+00:43:32	300	90	3.0	0 Calibration	2	
0049.snASASSN-15lg	1200	04:41	13:15:32.8	+03:30:02	300	90	3.0	#220 ASASSN Tr	2	
0050.COMP	10	05:01	13:15:32.8	+03:30:02	300	89	3.0	0 Calibration	2	
0051.snASASSN-15la	1200	05:04	14:12:51.2	+35:42:40	300	89	3.0	#220 ASASSN Tr	2	
0052.COMP	10	05:25	14:12:51.2	+35:42:40	300	89	3.0	0 Calibration	2	
0053.snPSNJ16025128	1500	05:27	16:02:51.3	+47:13:29	300	76	3.0	#2 SN Observat	2	
0054.COMP	10	05:53	16:02:51.3	+47:13:29	300	75	3.0	0 Calibration	2	
0055.snPSN162838	2400	05:57	16:28:38.4	+39:32:55	300	90	3.0	#2 SN Observat	2	
0056.COMP	10	06:38	16:28:38.4	+39:32:55	300	90	3.0	0 Calibration	2	
0057.LSPMJ1420+1218	1500	06:48	14:20:55.4	+12:18:07	600	89	2.0	#222 M dwarfs	2	
0058.COMP	10	07:14	14:20:55.4	+12:18:07	600	90	2.0	0 Calibration	2	

UT Date 2015-06-21 Observers FalcoColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0059.LSPMJ1454+4108	720	07:16	14:54:54.9	+41:08:48	600	89	2.0	#222 M dwarfs	2	
0060.COMP	10	07:29	14:54:54.9	+41:08:48	600	89	2.0	0 Calibration	2	
0061.LSPMJ1459+3618W	1320	07:31	14:59:25.1	+36:18:32	600	89	2.0	#222 M dwarfs	2	
0062.COMP	10	07:54	14:59:25.1	+36:18:32	600	90	2.0	0 Calibration	2	
0063.LSPMJ1815+8323	1800	07:57	18:15:47.6	+83:23:30	600	90	2.0	#222 M dwarfs	2	
0064.COMP	10	08:28	18:15:47.6	+83:23:30	600	89	2.0	0 Calibration	2	
0065.LSPMJ1837+2030	1800	08:31	18:37:31.8	+20:30:42	600	90	2.0	#222 M dwarfs	2	
0066.COMP	10	09:01	18:37:31.8	+20:30:42	600	89	2.0	0 Calibration	2	
0067.LSPMJ1859+0829	1500	09:03	18:59:38.9	+08:29:00	600	89	2.0	#222 M dwarfs	2	
0068.COMP	10	09:28	18:59:38.9	+08:29:00	600	89	2.0	0 Calibration	2	
0069.LSPMJ2041+4938	1200	09:31	20:41:47.4	+49:38:48	600	89	2.0	#222 M dwarfs	2	
0070.COMP	10	09:51	20:41:47.4	+49:38:48	600	80	2.0	0 Calibration	2	
0071.HD192281	6	09:53	20:12:33.1	+40:16:05	600	80	2.0	#56 Spectropho	2	
0072.COMP	10	09:53	20:12:33.1	+40:16:05	600	80	2.0	0 Calibration	2	
0073-0082.FLAT	12	09:59	20:12:33.1	+40:16:05	600	80	2.0	0 Calibration	2	
0083.COMP	5	10:03	20:12:33.1	+40:16:05	300	80	3.0	0 Calibration	2	test
0084.COMP	5	10:04	20:12:33.1	+40:16:05	300	80	3.0	0 Calibration	2	test
0085.COMP	5	10:06	20:12:33.1	+40:16:05	300	80	3.0	0 Calibration	2	test
0086.snASASSN-15hy	1200	10:11	20:10:02.4	-00:44:21	300	80	3.0	#220 ASASSN Tr	2	
0087.COMP	10	10:31	20:10:02.4	-00:44:21	300	89	3.0	0 Calibration	2	

UT Date 2015-06-21 Observers FalcoColl. Focus 1380 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0088.snASASSN-15kx	1200	10:34	22:16:11.9	+37:28:26	300	95	3.0	#220 ASASSN Tr	2	
0089.COMP	10	10:54	22:16:11.9	+37:28:26	300	95	3.0	0 Calibration	2	
0090.BDp174708	90	10:57	22:11:31.4	+18:05:34	300	91	3.0	#56 Spectropho	2	
0091.COMP	10	10:59	22:11:31.4	+18:05:34	300	86	3.0	0 Calibration	2	
0092.BDp284211	150	11:01	21:51:11.0	+28:51:50	300	86	3.0	#56 Spectropho	2	
0093.COMP	10	11:05	21:51:11.0	+28:51:50	300	87	3.0	0 Calibration	2	
0094.N7331	180	11:07	22:37:04.1	+34:24:56	300	87	3.0	#57 Velocity S	2	
0095.COMP	10	11:13	22:37:04.1	+34:24:56	300	91	3.0	0 Calibration	2	
0096-0105.BIAS	0	11:19	22:37:04.1	+34:24:56	300	91	3.0	0 Calibration	2	
0106-0125.FLAT	8	11:27	22:37:04.1	+34:24:56	300	91	3.0	0 Calibration	2	
0126-0135.DARK	900	13:50	22:37:04.1	+34:24:56	300	91	3.0	0 Calibration	2	