

UT Date 2016-04-05 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	02:20	07:00:58.2	+27:09:27	300	89	3.0	0 Calibration	2	
0011-0025.FLAT	7	02:26	07:00:58.2	+27:09:27	300	89	3.0	0 Calibration	2	
0026.05170487+5257522	1200	02:58	05:17:04.9	+52:57:52	300	89	3.0	#141 2MASS Red	2	
0027.COMP	10	03:18	05:17:04.9	+52:57:52	300	90	3.0	0 Calibration	2	
0028.HD84937	40	04:40	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0029.HD84937	40	04:41	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0030.HD84937	40	04:42	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0031.COMP	10	04:43	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0032.Feige34	200	04:45	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0033.Feige34	200	04:49	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0034.COMP	10	04:53	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0035.sn2016bkv	1200	04:55	10:18:19.3	+41:25:39	300	88	3.0	#2 SN Observat	2	
0036.sn2016bkv	1200	05:15	10:18:19.3	+41:25:39	300	88	3.0	#2 SN Observat	2	
0037.sn2016bkv	1200	05:35	10:18:19.3	+41:25:39	300	88	3.0	#2 SN Observat	2	
0038.sn2016bkv	1200	05:55	10:18:19.3	+41:25:39	300	88	3.0	#2 SN Observat	2	
0039.COMP	10	06:16	10:18:19.3	+41:25:39	300	88	3.0	0 Calibration	2	
0040.snASASSN-16db	1800	06:20	11:09:25.9	+29:34:26	300	88	3.0	#220 ASASSN Tr	2	
0041.COMP	10	06:50	11:09:25.9	+29:34:26	300	89	3.0	0 Calibration	2	
0042.snPSNmasterPGC054958	1800	07:31	15:23:33.0	+09:21:26	300	89	3.0	#2 SN Observat	2	
0043.COMP	10	08:03	15:23:33.0	+09:21:26	300	89	3.0	0 Calibration	2	

UT Date 2016-04-05 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.snPSNmasterPGC054958	1201	08:10	15:23:33.0	+09:21:26	300	89	3.0	#2 SN Observat	2	
0045.snPSNmasterPGC054958	1800	08:37	15:23:33.0	+09:21:26	300	89	3.0	#2 SN Observat	2	
0046.COMP	10	09:08	15:23:33.0	+09:21:26	300	88	3.0	0 Calibration	2	
0047.Feige34	200	09:10	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	
0048.Feige34	200	09:14	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0049.COMP	10	09:18	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0050.snASASSN-16dp	720	09:24	14:59:42.1	+04:05:07	300	90	3.0	#220 ASASSN Tr	2	
0051.snASASSN-16dp	720	09:37	14:59:42.1	+04:05:07	300	90	3.0	#220 ASASSN Tr	2	
0052.snASASSN-16dp	720	09:49	14:59:42.1	+04:05:07	300	90	3.0	#220 ASASSN Tr	2	
0053.COMP	10	10:01	14:59:42.1	+04:05:07	300	90	3.0	0 Calibration	2	
0054.BDp262606	100	10:14	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0055.BDp262606	100	10:16	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0056.COMP	10	10:18	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0057.BDp332642	150	10:20	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0058.BDp332642	150	10:22	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0059.COMP	10	10:25	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0060.17415027-1111248	1414	11:47	17:41:50.3	-11:11:25	300	90	3.0	#141 2MASS Red	2	
0061.COMP	10	12:11	17:41:50.3	-11:11:25	300	89	3.0	0 Calibration	2	
0062.HZ44	180	12:14	13:23:35.3	+36:07:59	300	89	3.0	#56 Spectropho	2	
0063.COMP	10	12:18	13:23:35.3	+36:07:59	300	90	3.0	0 Calibration	2	

UT Date 2016-04-05 Observers P BerlindColl. Focus 1320 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0064-0073.BIAS	0	12:26	16:30:13.3	+21:29:23	300	90	3.0	0 Calibration	2	
0074-0088.FLAT	7	12:32	16:30:13.3	+21:29:23	300	90	3.0	0 Calibration	2	
0089-0093.DARK	1200	14:01	16:30:13.3	+21:29:23	300	90	3.0	0 Calibration	2	