

UT Date 2016-07-07 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	03:08	13:23:35.3	+36:07:59	300	89	3.0	0 Calibration	2	
0006-0010.DARK	900	04:25	13:23:35.3	+36:07:59	300	89	3.0	0 Calibration	4	
0011-0020.BIAS	0	06:05	13:23:35.3	+36:07:59	300	89	3.0	0 Calibration	2	
0021-0035.FLAT	7	06:10	13:23:35.3	+36:07:59	300	89	3.0	0 Calibration	2	
0036.RSOph	60	06:16	17:50:13.0	-06:42:30	300	0	3.0	#12 Symbiotic	2	
0037.RSOph	150	06:17	17:50:13.0	-06:42:30	300	0	3.0	#12 Symbiotic	2	
0038.COMP	10	06:20	17:50:13.0	-06:42:30	300	0	3.0	0 Calibration	2	
0039.AS270	60	06:21	18:05:33.7	-20:20:38	300	0	3.0	#12 Symbiotic	2	
0040.AS270	353	06:23	18:05:33.7	-20:20:38	300	0	3.0	#12 Symbiotic	2	
0041.COMP	10	06:29	18:05:33.7	-20:20:38	300	0	3.0	0 Calibration	2	
0042.Hen1591	120	06:31	18:07:32.0	-25:53:43	300	0	3.0	#12 Symbiotic	2	
0043.Hen1591	720	06:34	18:07:32.0	-25:53:43	300	0	3.0	#12 Symbiotic	2	
0044.COMP	10	06:46	18:07:32.0	-25:53:43	300	0	3.0	0 Calibration	2	
0045.AS281	120	06:47	18:10:44.0	-27:57:51	300	0	3.0	#12 Symbiotic	2	corrupted image. slit vignetted
0046.COMP	10	06:51	18:10:44.0	-27:57:51	300	0	3.0	0 Calibration	2	
0047.AS281	720	06:51	18:10:44.0	-27:57:51	300	0	3.0	#12 Symbiotic	2	
0048.COMP	10	07:04	18:10:44.0	-27:57:51	300	1	3.0	0 Calibration	2	
0049.Hen1674	120	07:08	18:20:19.1	-26:22:46	300	1	3.0	#12 Symbiotic	2	
0050.Hen1674	900	07:10	18:20:19.1	-26:22:46	300	1	3.0	#12 Symbiotic	2	
0051.COMP	10	07:26	18:20:19.1	-26:22:46	300	0	3.0	0 Calibration	2	

UT Date 2016-07-07 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0052.AS316	60	07:28	18:42:33.0	-21:17:47	300	0	3.0	#12 Symbiotic	2	corrupted image
0053.AS316	60	07:29	18:42:33.0	-21:17:47	300	0	3.0	#12 Symbiotic	2	good image
0054.AS316	600	07:31	18:42:33.0	-21:17:47	300	0	3.0	#12 Symbiotic	2	corrupted image
0055.COMP	10	07:42	18:42:33.0	-21:17:47	300	0	3.0	0 Calibration	2	good image
0056.AS316	600	07:43	18:42:33.0	-21:17:47	300	0	3.0	#12 Symbiotic	2	
0057.AS327	60	07:54	18:53:17.0	-24:22:59	300	1	3.0	#12 Symbiotic	2	
0058.AS327	600	07:56	18:53:17.0	-24:22:59	300	1	3.0	#12 Symbiotic	2	
0059.COMP	10	08:06	18:53:17.0	-24:22:59	300	1	3.0	0 Calibration	2	
0060.YYHer	30	08:10	18:14:34.0	+20:59:19	300	55	3.0	#12 Symbiotic	2	corrupted image
0061.YYHer	30	08:11	18:14:34.0	+20:59:19	300	55	3.0	#12 Symbiotic	2	
0062.YYHer	90	08:25	18:14:34.0	+20:59:19	300	55	3.0	#12 Symbiotic	2	
0063.YYHer	360	08:27	18:14:34.0	+20:59:19	300	55	3.0	#12 Symbiotic	2	
0064.COMP	10	08:34	18:14:34.0	+20:59:19	300	55	3.0	0 Calibration	2	
0065.AS296	10	08:36	18:15:07.0	-00:18:52	300	55	3.0	#12 Symbiotic	2	
0066.AS296	45	08:36	18:15:07.0	-00:18:52	300	55	3.0	#12 Symbiotic	2	
0067.AS296	180	08:37	18:15:07.0	-00:18:52	300	55	3.0	#12 Symbiotic	2	
0068.COMP	10	08:41	18:15:07.0	-00:18:52	300	55	3.0	0 Calibration	2	
0069.V443Her	10	08:43	18:22:07.0	+23:27:20	300	55	3.0	#12 Symbiotic	2	
0070.V443Her	120	08:43	18:22:07.0	+23:27:20	300	55	3.0	#12 Symbiotic	2	
0071.COMP	10	08:46	18:22:07.0	+23:27:20	300	55	3.0	0 Calibration	2	

UT Date 2016-07-07 Observers P BerlindColl. Focus 1320 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0072.V919Sgr	120	08:50	19:03:45.0	-16:59:56	300	55	3.0	#12 Symbiotic	2	
0073.V919Sgr	900	08:52	19:03:45.0	-16:59:56	300	55	3.0	#12 Symbiotic	2	
0074.COMP	10	09:08	19:03:45.0	-16:59:56	300	55	3.0	0 Calibration	2	
0075.BDp284211	300	09:13	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0076.COMP	10	09:19	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0077.BDp174708	120	09:20	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0078.COMP	10	09:22	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0079.snASASSN-16fp	900	09:25	21:59:04.1	+18:11:11	300	0	3.0	#220 ASASSN Tr	2	
0080.snASASSN-16fp	900	09:40	21:59:04.1	+18:11:11	300	0	3.0	#220 ASASSN Tr	2	
0081.snASASSN-16fp	900	09:55	21:59:04.1	+18:11:11	300	0	3.0	#220 ASASSN Tr	2	
0082.COMP	10	10:10	21:59:04.1	+18:11:11	300	0	3.0	0 Calibration	2	
0083-0092.BIAS	0	10:17	21:59:04.1	+18:11:11	300	89	3.0	0 Calibration	2	
0093-0107.FLAT	7	10:23	21:59:04.1	+18:11:11	300	89	3.0	0 Calibration	2	