


UT Date 2017-03-29 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:58	15:38:34.1	+13:20:52	300	88	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:04	15:38:34.1	+13:20:52	300	88	3.0	0 Calibration	2	
0026-0035.BIAS	0	01:50	08:04:21.0	+22:50:17	600	88	1.5	0 Calibration	4	
0036.FLAT	12	01:51	08:04:21.0	+22:50:17	600	88	1.5	0 Calibration	4	600-line, 1.5-sec, blue 445
0037-0050.FLAT	12	01:55	08:04:21.0	+22:50:17	600	88	1.5	0 Calibration	4	
0051.j0731p23	1000	02:32	07:31:45.1	+23:53:53	600	88	1.5	#178 Low Mass	4	
0052.COMP	10	02:50	07:31:45.1	+23:53:53	600	87	1.5	0 Calibration	4	
0053.j0714p32	1000	02:51	07:14:51.1	+32:04:08	600	87	1.5	#178 Low Mass	4	
0054.COMP	10	03:08	07:14:51.1	+32:04:08	600	87	1.5	0 Calibration	4	
0055.j0607p22	720	03:10	06:07:17.0	+22:59:56	600	88	1.5	#178 Low Mass	4	correct target ID, bright at 14.5
0056.COMP	10	03:23	06:07:17.0	+22:59:56	600	88	1.5	0 Calibration	4	
0057.j0630p26	1500	03:25	06:30:19.5	+26:18:31	600	45	1.5	#178 Low Mass	4	
0058.COMP	10	03:51	06:30:19.5	+26:18:31	600	45	1.5	0 Calibration	4	
0059.j0713p01	1400	03:54	07:13:06.6	+01:25:42	600	89	1.5	#178 Low Mass	4	
0060.COMP	10	04:18	07:13:06.6	+01:25:42	600	89	1.5	0 Calibration	4	
0061.j0731m00	1400	04:20	07:31:40.6	-00:15:40	600	90	1.5	#178 Low Mass	4	
0062.COMP	10	04:44	07:31:40.6	-00:15:40	600	90	1.5	0 Calibration	4	
0063.j0753m00	1500	04:45	07:53:58.9	-00:09:48	600	90	1.5	#178 Low Mass	4	
0064.COMP	10	05:11	07:53:58.9	-00:09:48	600	90	1.5	0 Calibration	4	
0065.j0756p05	1260	05:14	07:56:05.2	+05:01:07	600	90	1.5	#178 Low Mass	4	

UT Date 2017-03-29 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.COMP	10	05:35	07:56:05.2	+05:01:07	600	90	1.5	0 Calibration	4	
0067.j0757p14	1000	05:36	07:57:18.9	+14:20:53	600	90	1.5	#178 Low Mass	4	
0068.COMP	10	05:53	07:57:18.9	+14:20:53	600	89	1.5	0 Calibration	4	
0069.Feige34	180	05:56	10:39:36.7	+43:06:09	600	89	1.5	#56 Spectropho	4	
0070.COMP	10	06:00	10:39:36.7	+43:06:09	600	90	1.5	0 Calibration	4	
0071.test	10	06:04	11:30:00.0	+32:00:00	300	90	3.0	#56 Spectropho	2	
0072.Feige34	180	06:06	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	300-line, 3-sec
0073.COMP	10	06:09	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0074.HD84937	30	06:10	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0075.COMP	10	06:11	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0076.snASASSN17ee	600	06:13	07:48:11.0	+28:13:49	300	89	3.0	#220 ASASSN Tr	2	
0077.snASASSN17ee	600	06:24	07:48:11.0	+28:13:49	300	89	3.0	#220 ASASSN Tr	2	
0078.snASASSN17ee	600	06:34	07:48:11.0	+28:13:49	300	89	3.0	#220 ASASSN Tr	2	
0079.COMP	10	06:44	07:48:11.0	+28:13:49	300	89	3.0	0 Calibration	2	
0080.snAT2017cfd	1800	06:47	08:40:49.2	+73:29:15	300	89	3.0	#2 SN Observat	2	
0081.COMP	10	07:17	08:40:49.2	+73:29:15	300	90	3.0	0 Calibration	2	
0083.sn2917cjb	1800	07:26	10:10:45.6	-03:46:40	300	90	3.0	#2 SN Observat	2	
0084.COMP	10	07:57	10:10:45.6	-03:46:40	300	89	3.0	0 Calibration	2	
0085.sn2017cfb	1800	08:05	13:54:06.8	+09:24:46	300	89	3.0	#2 SN Observat	2	
0086.COMP	10	08:36	13:54:06.8	+09:24:46	300	89	3.0	0 Calibration	2	

UT Date 2017-03-29 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0087.snAT2017cfc	1800	08:38	13:52:39.0	-02:00:08	300	89	3.0	#2 SN Observat	2	
0088.COMP	10	09:09	13:52:39.0	-02:00:08	300	90	3.0	0 Calibration	2	
0089.PS17bsd	1800	09:11	13:56:28.9	+22:03:57	300	90	3.0	#225	2	
0090.PS17bsd	1800	09:41	13:56:28.9	+22:03:57	300	90	3.0	#225	2	
0091.COMP	10	10:12	13:56:28.9	+22:03:57	300	89	3.0	0 Calibration	2	
0092.BDp262606	90	10:13	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0093.COMP	10	10:15	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0094.BDp332642	120	10:17	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0095.COMP	10	10:20	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0096.AWI0005dle	3	10:30	17:56:26.3	+62:37:10	300	89	3.0	#219 WISE Debr	2	
0097.AWI0005dle	15	10:30	17:56:26.3	+62:37:10	300	89	3.0	#219 WISE Debr	2	
0098.COMP	10	10:31	17:56:26.3	+62:37:10	300	89	3.0	0 Calibration	2	
0099.AWI0005d5p	3	10:38	18:02:30.7	+58:37:39	300	89	3.0	#219 WISE Debr	2	
0100.AWI0005d5p	10	10:38	18:02:30.7	+58:37:39	300	89	3.0	#219 WISE Debr	2	
0101.COMP	10	10:39	18:02:30.7	+58:37:39	300	89	3.0	0 Calibration	2	
0102.AWI0005d6h	3	10:41	18:19:08.1	+71:31:05	300	89	3.0	#219 WISE Debr	2	
0103.AWI0005d6h	10	10:42	18:19:08.1	+71:31:05	300	89	3.0	#219 WISE Debr	2	
0104.COMP	10	10:42	18:19:08.1	+71:31:05	300	89	3.0	0 Calibration	2	
0106.AWI0005cs0	6	10:46	19:09:45.8	+65:58:43	300	89	3.0	#219 WISE Debr	2	
0107.AWI0005cs0	6	10:46	19:09:45.8	+65:58:43	300	89	3.0	#219 WISE Debr	2	

UT Date 2017-03-29 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0108.COMP	10	10:47	19:09:45.8	+65:58:43	300	89	3.0	0 Calibration	2	
0109.AWI00059ad	420	10:51	18:05:42.3	+08:31:45	300	89	3.0	#219 WISE Debr	2	
0110.COMP	10	10:59	18:05:42.3	+08:31:45	300	88	3.0	0 Calibration	2	
0111.AWI0002008	420	11:03	18:27:21.6	-03:14:16	300	88	3.0	#219 WISE Debr	2	
0112.COMP	10	11:11	18:27:21.6	-03:14:16	300	88	3.0	0 Calibration	2	
0113.YYHer	60	11:15	18:14:34.0	+20:59:19	300	88	3.0	#12 Symbiotic	2	
0114.YYHer	360	11:16	18:14:34.0	+20:59:19	300	88	3.0	#12 Symbiotic	2	
0115.COMP	10	11:23	18:14:34.0	+20:59:19	300	88	3.0	0 Calibration	2	
0116.V443Her	60	11:24	18:22:07.0	+23:27:20	300	88	3.0	#12 Symbiotic	2	
0117.V443Her	20	11:26	18:22:07.0	+23:27:20	300	88	3.0	#12 Symbiotic	2	
0118.V443Her	120	11:27	18:22:07.0	+23:27:20	300	88	3.0	#12 Symbiotic	2	
0119.COMP	10	11:30	18:22:07.0	+23:27:20	300	88	3.0	0 Calibration	2	
0120.AS338	60	11:31	19:03:47.0	+16:26:17	300	88	3.0	#12 Symbiotic	2	
0121.AS338	600	11:33	19:03:47.0	+16:26:17	300	88	3.0	#12 Symbiotic	2	
0122.COMP	10	11:44	19:03:47.0	+16:26:17	300	88	3.0	0 Calibration	2	
0123.BFCyg	30	11:45	19:23:53.0	+29:40:27	300	88	3.0	#12 Symbiotic	2	
0124.BFCyg	15	11:46	19:23:53.0	+29:40:27	300	88	3.0	#12 Symbiotic	2	
0125.COMP	10	11:47	19:23:53.0	+29:40:27	300	88	3.0	0 Calibration	2	
0127.CHCyg	15	11:50	19:24:33.0	+50:14:30	300	88	3.0	#12 Symbiotic	2	
0128.CHCyg	3	11:51	19:24:33.0	+50:14:30	300	88	3.0	#12 Symbiotic	2	

UT Date 2017-03-29 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0129.CHCyg	3	11:52	19:24:33.0	+50:14:30	300	88	3.0	#12 Symbiotic	2	
0130.COMP	10	11:53	19:24:33.0	+50:14:30	300	88	3.0	0 Calibration	2	
0131.CICyg	15	11:54	19:50:12.0	+35:41:02	300	88	3.0	#12 Symbiotic	2	
0132.CICyg	60	11:56	19:50:12.0	+35:41:02	300	88	3.0	#12 Symbiotic	2	
0133.CICyg	5	11:57	19:50:12.0	+35:41:02	300	88	3.0	#12 Symbiotic	2	
0134.COMP	10	11:58	19:50:12.0	+35:41:02	300	88	3.0	0 Calibration	2	
0135.AS360	60	11:59	19:45:49.0	+18:36:49	300	88	3.0	#12 Symbiotic	2	
0136.AS360	420	12:01	19:45:49.0	+18:36:49	300	88	3.0	#12 Symbiotic	2	
0137.COMP	10	12:08	19:45:49.0	+18:36:49	300	88	3.0	0 Calibration	2	
0138.HMSge	15	12:09	19:41:57.0	+16:44:41	300	88	3.0	#12 Symbiotic	2	
0139.HMSge	5	12:10	19:41:57.0	+16:44:41	300	88	3.0	#12 Symbiotic	2	
0140.HMSge	60	12:10	19:41:57.0	+16:44:41	300	88	3.0	#12 Symbiotic	2	
0141.HMSge	300	12:12	19:41:57.0	+16:44:41	300	88	3.0	#12 Symbiotic	2	
0142.COMP	10	12:17	19:41:57.0	+16:44:41	300	89	3.0	0 Calibration	2	
0143.AS296	30	12:19	18:15:07.0	-00:18:52	300	89	3.0	#12 Symbiotic	2	
0144.AS296	120	12:20	18:15:07.0	-00:18:52	300	89	3.0	#12 Symbiotic	2	
0145.COMP	10	12:22	18:15:07.0	-00:18:52	300	89	3.0	0 Calibration	2	
0146-0150.DARK	900	13:36	18:15:07.0	-00:18:52	300	89	3.0	0 Calibration	2	
0151-0154.DARK	900	14:37	18:15:07.0	-00:18:52	300	89	3.0	0 Calibration	4	