
UT Date 2018-01-16 Observers M CalkinsColl. Focus 1310 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:34	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	2	
0011-0030.FLAT	7	00:46	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0031-0040.BIAS	0	00:50	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	4	
0041.sn2017ixg	2400	01:58	23:20:30.6	+24:46:39	300	90	3.0	#2 SN Observat	2	
0042.COMP	10	02:39	23:20:30.6	+24:46:39	300	90	3.0	0 Calibration	2	
0043.RAqr	1	02:41	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0044.RAqr	5	02:42	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0045.RAqr	10	02:42	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0046.COMP	10	02:43	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0047.sn2018K	2100	02:48	01:50:50.5	+48:21:14	300	59	3.0	#2 SN Observat	2	
0048.COMP	10	03:23	01:50:50.5	+48:21:14	300	61	3.0	0 Calibration	2	
0049.BRUTUS8134_4	1800	03:26	03:30:11.0	-13:31:23	300	21	3.0	#220 ASASSN Tr	2	
0050.BRUTUS8134_4	1800	04:13	03:30:11.0	-13:31:23	300	21	3.0	#220 ASASSN Tr	2	
0051.COMP	10	04:44	03:30:11.0	-13:31:23	300	21	3.0	0 Calibration	2	
0052.PS16dtm	1800	04:47	01:58:04.7	-00:52:22	300	89	3.0	#225	2	
0053.COMP	10	05:17	01:58:04.7	-00:52:22	300	90	3.0	0 Calibration	2	
0054.AT2018ay	1800	05:20	03:45:24.8	-05:35:24	300	90	3.0	#225	2	
0055.AT2018ay	1800	05:53	03:45:24.8	-05:35:24	300	89	3.0	#225	2	clouds mvd in on 3rd exp, abort
0056.COMP	10	06:44	03:45:24.8	-05:35:24	300	90	3.0	0 Calibration	2	
0057.GITau	420	06:47	04:33:34.0	+24:21:18	300	90	3.0	#12 Symbiotic	2	

UT Date 2018-01-16 Observers M CalkinsColl. Focus 1310 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0058.COMP	10	06:54	04:33:34.0	+24:21:18	300	89	3.0	0 Calibration	2	
0059.GKTau	420	06:55	04:33:34.5	+24:21:07	300	89	3.0	#12 Symbiotic	2	
0060.COMP	10	07:02	04:33:34.5	+24:21:07	300	90	3.0	0 Calibration	2	
0061.G191B2B	480	07:04	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0062.COMP	10	07:13	05:05:30.6	+52:49:52	300	91	3.0	0 Calibration	2	
0063.BGGem	1200	07:16	06:03:31.0	+27:41:50	300	91	3.0	#12 Symbiotic	2	
0064.COMP	10	07:36	06:03:31.0	+27:41:50	300	90	3.0	0 Calibration	2	
0065.Hiltner600	150	07:38	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0066.COMP	10	07:41	06:45:13.4	+02:08:15	300	89	3.0	0 Calibration	2	
0067.BXMon	15	07:42	07:25:23.0	-03:35:51	300	89	3.0	#12 Symbiotic	2	
0068.BXMon	180	07:42	07:25:23.0	-03:35:51	300	89	3.0	#12 Symbiotic	2	
0069.COMP	10	07:46	07:25:23.0	-03:35:51	300	90	3.0	0 Calibration	2	
0070.SS129	480	07:48	07:32:45.0	-26:49:16	300	71	3.0	#12 Symbiotic	2	
0071.SS129	480	07:56	07:32:45.0	-26:49:16	300	71	3.0	#12 Symbiotic	2	
0072.COMP	10	08:04	07:32:45.0	-26:49:16	300	70	3.0	0 Calibration	2	
0073.AT2018dx	1800	08:08	09:16:12.3	+39:03:42	300	90	3.0	#225	2	
0074.COMP	10	09:01	09:16:12.3	+39:03:42	300	90	3.0	0 Calibration	2	
0075-0084.BIAS	0	12:39	10:21:19.1	+20:54:37	300	90	3.0	0 Calibration	2	
0085-0104.FLAT	7	12:55	10:21:19.1	+20:54:37	300	90	3.0	0 Calibration	2	
0105-0114.DARK	900	15:23	10:21:19.1	+20:54:37	300	90	3.0	0 Calibration	2	