

UT Date 2018-03-15 Observers P BerlindColl. Focus 1310 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:45	05:05:00.0	+25:00:00	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:52	05:05:00.0	+25:00:00	300	90	3.0	0 Calibration	2	
0026.COMP	10	02:25	05:05:00.0	+25:00:00	300	90	3.0	0 Calibration	2	
0027.HD46193	90	02:32	06:35:35.2	+57:59:10	300	90	3.0	Ay100	2	
0028.COMP	10	02:41	06:35:35.2	+57:59:10	300	90	3.0	0 Calibration	2	
0029.OrionNeb	10	03:22	05:35:17.3	-05:23:28	300	90	3.0	Ay100	2	
0030.OrionNeb	10	03:24	05:35:17.3	-05:23:28	300	90	3.0	Ay100	2	
0030.OrionNebq.ms	10	03:24	05:35:17.3	-05:23:28	300	90	3.0	Ay100	1	
0031.OrionNeb	20	03:29	05:35:17.3	-05:23:28	300	90	3.0	Ay100	2	
0031.OrionNebq.ms	20	03:29	05:35:17.3	-05:23:28	300	90	3.0	Ay100	1	
0032.OrionNeb	30	03:31	05:35:17.3	-05:23:28	300	90	3.0	Ay100	2	
0032.OrionNebq.ms	30	03:31	05:35:17.3	-05:23:28	300	90	3.0	Ay100	1	
0033.COMP	10	03:35	05:35:17.3	-05:23:28	300	90	3.0	0 Calibration	2	
0034.NGC2857	360	03:41	09:24:37.7	+49:21:25	300	90	3.0	Ay100	2	
0034.NGC2857q.ms	360	03:41	09:24:37.7	+49:21:25	300	90	3.0	Ay100	1	
0035-0038.BIAS	0	03:49	09:24:37.7	+49:21:25	300	90	3.0	0 Calibration	2	
0039.BIAS	10	03:50	09:24:37.7	+49:21:25	300	88	3.0	0 Calibration	2	
0039.BIASq.ms	10	03:50	09:24:37.7	+49:21:25	300	88	3.0	Ay100	1	
0040.BIAS	60	03:52	09:24:37.7	+49:21:25	300	88	3.0	0 Calibration	2	
0040.BIASq.ms	60	03:52	09:24:37.7	+49:21:25	300	88	3.0	Ay100	1	

UT Date 2018-03-15 Observers P BerlindColl. Focus 1310 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0041.COMP	10	03:56	09:24:37.7	+49:21:25	300	88	3.0	0 Calibration	2	
0042.NGC2857	600	03:59	09:24:37.7	+49:21:25	300	87	3.0	Ay100	2	
0043-0052.BIAS	0	04:14	09:24:37.7	+49:21:25	300	87	3.0	0 Calibration	2	
0053-0067.FLAT	7	04:20	09:24:37.7	+49:21:25	300	87	3.0	0 Calibration	2	
0068.COMP	10	04:21	09:24:37.7	+49:21:25	300	87	3.0	0 Calibration	2	
0069.nAT_2018xz	300	04:34	10:02:31.6	+13:43:43	300	87	3.0	Ay100	2	
0069.nAT_2018xzq.ms	300	04:34	10:02:31.6	+13:43:43	300	87	3.0	Ay100	1	
0070.nAT_2018xz	900	04:49	10:02:31.6	+13:43:43	300	86	3.0	Ay100	2	
0071.nAT_2018xz	300	05:05	10:02:31.6	+13:43:43	300	86	3.0	Ay100	2	
0071.nAT_2018xzq.ms	300	05:05	10:02:31.6	+13:43:43	300	86	3.0	Ay100	1	
0072.COMP	10	05:14	10:02:31.6	+13:43:43	300	88	3.0	0 Calibration	2	
0073-0077.DARK	900	10:23	10:48:23.5	+37:34:13	300	88	3.0	0 Calibration	2	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	